

Ferrari

Ferrari 1000: Exclusive Innovation



Technologie en innovatie zijn de drijvende krachten achter de grootste verwezenlijkingen van de mens. Zij zijn de fundamenten van vroegere overwinningen en de essentie van toekomstige successen. De Ferrari 1000 combineert baanbrekende technologieën van de snel evoluerende Formule 1 sector met de revolutionaire en uitermate krachtige dual-core processor in een exclusief en een ultralicht werkinstrument dat slechts voor 1 doel ontworpen is: je een ultra-mobiele ervaring in pole position geven.

Ferrari 1000

Standaardconfiguratie

Operating System	genuine Windows® XP Professional
Processor & chipset	AMD Turion™ 64 X2 processor with up to 1 MB L2 cache, AMD PowerNow!™ Technology, AMD HyperTransport™ Technology, Enhanced Virus Protection and 3DNow!™ Professional support Dual-core processing Simultaneous 32- and 64-bit Windows® compatible support
Memory	ATI Mobility RADEON® XPRESS 1150 series chipset DDR2 memory, upgradeable to 4 GB using dual soDIMM modules (dual-channel support)
HDD	SATA (5400rpm) Hard Disk Drive with Acer DASP+ (Disk Anti-Shock Protection Plus)
Storage	External IEEE 1394 DVD-Super Multi drive
Display	12.1" WXGA high-brightness (200-nit) Acer CrystalBrite™ TFT LCD, 1280 x 800 pixel resolution 16.7 million colors Supporting simultaneous multi-window viewing via Acer GridVista
Graphics	ATI Radeon® Xpress 1150 integrated 3D graphics, with up to 512 MB of HyperMemory™ (256 MB of dedicated system memory; up to 256 MB of shared system memory) supporting ATI PowerPlay™ 5.0, Microsoft® DirectX® 9.0, PCI Express® DualView™ support MPEG-2/DVD hardware-assisted capability
Multimedia	Audio system with two built-in speakers MS-Sound compatible S/PDIF (Sony/Philips Digital Interface) support for digital speakers High-definition audio support Built-in microphone
Communication	Acer Video Conferencing featuring Voice and Video over Internet Protocol (VVoIP) support via Acer OrbiCam and optional Acer Bluetooth® VoIP phone Acer OrbiCam integrated 1.3 megapixel CMOS camera featuring: • 225-degree ergonomic rotation • Acer VisageOn technology • Acer Primalite technology Integrated 10/100/1000 Mbps Gigabit Ethernet, Wake-on-LAN ready Acer InviLink™ Nplify™ 802.11 a/b/g or 802.11b/g Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology Bluetooth® 2.0+EDR (Enhanced Data Rate) 56K ITU V.92 modem with PTT approval; Wake-on-Ring ready
I/O Interfaces	3 x USB 2.0 ports ; 1x Infrared (FIR) port ; 1x external display (VGA) port ; 1x PC Card slot (Type II) ; 5-in-1 card reader (SD/MS/MS-Pro/MMC/XD-Picture card™) ; 1x IEEE 1394 port ; 1x Modem (RJ-11) port ; 1x Ethernet (RJ-45) port ; 1 x Microphone ; 1 x Line-in jack ; 1x speaker/ headphone/ line-out jack with S/PDIF support ; 124-pin Acer ezDock connector; 1 x DC-in jack for AC adapter
Security	Acer DASP+ (Disk Anti-Shock Protection Plus), including: • Acer DASP Technology • Acer GraviSense Technology • Anti-Theft HDD protection Technology Slot for Kensington lock BIOS user and supervisor passwords
Power Supply and battery	ACPI 2.0 CPU power management standard: supports Standby and Hibernation power-saving modes 57W 6-cell Li-ion battery pack and 22W 3-cell Li-ion 2nd battery pack Up to 5 hours battery life with two battery packs Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use 3-pin 90W AC adapter
Keyboard & Special Controls	84-/85-key Acer FineTouch™ keyboard with a 5-degree curve, inverted "T" cursor layout; 2.5 mm (minimum) key travel Touchpad pointing device 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Internet browser, email with LED, Empowering Key, and one user-programmable button Two front-access buttons: WLAN and Bluetooth® Wireless Bluetooth™ optical mouse
Dimensions & Weight	302.3 (W) x 221.28 (D) x 20.8/34.5 (H) mm 1.75 kg with 6-cell battery pack 1.6 kg with 3-cell battery pack
Quality & Reliability Tests	Temperature & humidity test ; Free Drop Test ; Acoustics Test ; Weight Pressure Tests ; Weight and pressure test ; Spillage test ; Shock and vibration test ; Electrostatic discharge immunity test; MTBF (Mean Time Between Failure) test; Hinge life test ; Keyboard-switch life test
Software	Acer Empowering Technology (eDataSecurity Management / eLock Management / ePerformance Management / eRecovery Management / eSettings Management / eNet Management / ePower Management / ePresentation Management) Acer GridVista Acer Launch Manager Norton AntiVirus™ Adobe® Reader® CyberLink® PowerDVD® NTI® CD Maker™
Options	Acer ezDock Additional memory modules Additional battery Additional AC adapter W-cable

Exclusive Innovation



Belangrijkste eigenschappen

- AMD Turion™ 64 X2 processor with up to 1 MB L2 cache, AMD PowerNow!™ Technology, AMD HyperTransport™ Technology, Enhanced Virus Protection and 3DNow!™ Professional support
- 12.1" WXGA high-brightness (200-nit) Acer CrystalBrite™ TFT LCD, 1280 x 800 pixel resolution
- ATI Radeon® Xpress 1150 integrated 3D graphics, with up to 512 MB of HyperMemory™ (256 MB of dedicated system memory; up to 256 MB of shared system memory) supporting ATI PowerPlay™ 5.0, Microsoft® DirectX® 9.0, PCI Express®

Certifications	ACPI
	Mobile PC2002
	DMI 2.0
	Wi-Fi®
Warranty	Cisco Compatible Extensions (CCX)
	1 year send-in International Travellers Warranty

Model	Artikelnummer	Prijs inc. BTW_+ VAT_	
Ferrari 1005WTMib legitieme Windows® XP Professional , AMD Turion™ 64 X2 TL60 2.0Ghz, 12.1TFT WXGA CrystalBrite, 2048MB DDRII RAM (2x1024), 160GB HDD S-ATA (5400rpm), External (1394) DVD SuperMulti, 3+6-cell Lilon, 56K modem, wired & wireless 802.11pre. n, BT + VoIP BT phone, ATI Radeon 1150 512MB Hypermemory, 1.3MP Orbicam, ezDock connector, AZB	LX.FR606.053	EUR 1999.00	

TravelMate

TravelMate 2490: Verbeterde mobiele bedrijfsefficiency



De nieuwe Acer TravelMate 2490 demonstreert overduidelijk Acers toewijding voor het zetten van nieuwe standaarden in betaalbare mobiele technologie voor zelfstandige professionals en kleine en middelgrote bedrijven. Aangedreven door Intel® Celeron® M processoren en uitgerust met een 15,4" breedbeeldscherm verbetert de Acer TravelMate 2490 uw mobiele zaken in elk opzicht.

TravelMate 4200: Mobiele Zakelijke Efficiency



De TravelMate 4200 is een van de beste, meest uitvoerig uitgeruste zakelijke notebooks in z'n segment. Ontworpen om de nieuwste Intel® Centrino® Duo Mobile Technology binnen het bereik van professionals en bedrijven te brengen, inclusief langdurige alles-in-één onafhankelijkheid en volledige breedbeeldmogelijkheden, combineert de TravelMate 4200 buitengewone multimedia-prestaties, volledige Empowering-technologie en naadloze connectiviteitsopties tot werkelijk onverslaanbare mobiele waarde.

TravelMate 4230: Een nieuw niveau in mobiele bedrijfsefficiency



Ontworpen als oplossing voor dynamische bedrijven, combineert de Acer TravelMate 4230 de nieuwste 64-bit Intel® Centrino® 2 Duo Mobile Technology en langdurige draadloze productiviteit. Dit zorgt voor een snelle, efficiënte manier voor het beheren van uw zaken in een echt mobiele omgeving, waarmee het de perfecte tool is voor ongeëvenaarde prestaties.

TravelMate 5620: Verbreed uw zakelijke potentieel



De TravelMate 5620-serie is ontworpen voor waardebewuste zakelijke gebruikers die op zoek zijn naar een betrouwbare en solide krachtpatser met 17-inch breedbeeld productiviteit. Gebaseerd op de nieuwste Intel 64-bit Dual Core Centrino 2 Duo-platform en compleet met een geïntegreerde 1,3MP videocamera, maakt de TravelMate 5620-serie uitstekende en betrouwbare communicatie mogelijk met uw bedrijfsnetwerk en helpt u daarmee het beste uit alle bedrijfsmogelijkheden te halen.

TravelMate 6410: Maximale bedrijfsefficiency



De TravelMate 6410 is ontworpen voor slimme zelfstandige professionals en gebruikers in kleine, middelgrote en grote bedrijven die op zoek zijn naar ongeëvenaarde prestaties en technologie, zowel op kantoor als onderweg. Voorzien van de nieuwste 64-bit Intel® Centrino® 2 Duo Mobile Technology, is de TravelMate 6410 toegerust om de meest uitgebreide desktopprestaties in z'n klasse te leveren, compleet met volledige beheermogelijkheden, bekabelde en draadloze connectiviteit en efficiency de klok rond.

TravelMate 6460: Core 2 Duo zakelijke veelzijdigheid



De TravelMate 6460 is ontwikkeld voor slimme, nadenkende gebruikers in kleine, middelgrote en grote bedrijven en zelfstandige professionals die op zoek zijn naar ongeëvenaarde prestaties en technologie, gecombineerd met het maximum aan moderne mobiele beveiligingsopties voor op kantoor en onderweg. Uitgerust met de nieuwste Intel® Centrino® Duo Mobile Technology met Core™2 Duo-processoren, is de TravelMate 6460 toegerust om de meest uitgebreide desktopprestaties in zijn klasse te bieden, compleet met volledige beheermogelijkheden en beveiligingsopties zoals Acer eDataSecurity Management, volledige bekabelde en draadloze connectiviteit en de hele dag durende efficiency.

TravelMate 8210: Krachtige Mobiele Leider



De TravelMate 8210 is het symbool van Acers toewijding om leidende professionals en bedrijven te voorzien van het ultieme instrument voor verbetering van mobiele prestaties en het over de conventionele grenzen tillen van uitgaande productiviteit. Afgewerkt in prachtige koolstofvezel, is de slanke TravelMate 8210 de eerste hoogwaardige zakelijke PC die de allernieuwste 64-bit Intel® Centrino® 2 Duo Mobile Technology biedt, alsmede geïntegreerde videovergadermogelijkheden in een uitstekende mix van power, stijl en prestaties.

TravelMate 2490

Standaardconfiguratie

Operating System	genuine Windows® XP Professional
Processor & Chipset	Intel® Celeron® M processor with 1MB L2 cache Mobile Intel® 940GML Express chipset
Memory	DDR2 memory, upgradeable to 2 GB using two soDIMM modules (dual-channel support)
HDD	ATA/100 hard disk drive with Acer Disk Anti-Shock Protection (DASP)
Storage	DVD-SuperMulti Double-Layer drive, or DVD/CD-RW combo drive 5-in-1 card reader, supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD)
Display	15.4" WXGA color TFT LCD, 1280 x 800 pixel resolution, 16 ms response time, 16:10 viewing ratio, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colours
Graphics	Mobile Intel® 940GML Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950, up to 224 MB of shared system memory, supporting Microsoft® DirectX® 9.0 DualView™ support MPEG-2/DVD hardware-assisted capability
Multimedia	Intel® High Definition audio support Two built-in Acer 3DSonic (1.5 W) stereo speakers Sound Blaster Pro™ and MS-Sound compatible Built-in microphone
Communication	Acer InviLink™ 802.11b/g Wi-Fi CERTIFIED™ network solution, supporting Acer SignalUp™ wireless technology 56K ITU V.92 data/fax modem (with international PTT approval); Wake-on-Ring ready 10/100 Mbps Fast Ethernet; Wake-on-LAN Ready
I/O Interfaces	5-in-1 card reader (SD, MMC, MS, MS PRO, xD); 4x USB 2.0 ports 1x external display (VGA) port ; 1x PC Card slot (Type II) ; 1x Modem (RJ-11) port ; 1x Ethernet (RJ-45) port ; 1x speaker/headphone/ line-out jack ; 1x Microphone-in jack ; 1x Line-in jack; 1x DC-in jack for AC adapter
Security	Acer Disk Anti-Shock Protection (DASP) Kensington lock slot BIOS user and supervisor passwords
Power supply and battery	ACPI 2.0 power management standard: supports Standby and Hibernation power-saving modes 44 W Li-ion battery pack (6 cell) Up to 3-hour battery life (with 6-cell battery) 2.5-hour rapid charge; 3.5-hour charge-in-use 65W AC adapter
Keyboard & Special Controls	88-/89-key keyboard, inverted "T" cursor layout, international language support, 2.5 mm (minimum) key travel Touchpad with 4-way scroll button 12 function keys, four cursor keys, two Windows® keys, hotkey controls, embedded numeric keypad Four easy-launch buttons: Internet, email, Empowering Key and one user-programmable button Two front-access communication switches: WLAN, Bluetooth®
Weight and dimensions	358 (W) x 265 (D) x 29.33/36 (H) mm 2.77 kg
Quality & Reliability Tests	Temperature and Humidity test ; Free Drop test ; Acoustics test ; Weight and Pressure test ; Spillage test; Shock and Vibration test ; Electrostatic Discharge Immunity test ; MTBF (Mean Time Between Failure) test ; Hinge Life test ; Keyboard-switch Life test
Software	Acer Empowering Technology (Acer ePower, ePresentation, eDataSecurity, eLock, eRecovery4, eSettings, ePerformance Management) Acer GridVista™ (widescreen models only) Acer Launch Manager Norton AntiVirus™ (trial version) Adobe® Reader® CyberLink® PowerDVD™ NTI® CD-Maker™
Options	Memory expansion modules Additional battery Additional AC adapter
Certifications	ACPI Mobile PC 2002 DMI 2.0 Wi-Fi® Cisco Compatible Extensions (CCX)
Warranty	1 year send-in with International Travellers Warranty (ITW)

Verbeterde mobiele bedrijfsefficiency



Belangrijkste eigenschappen

- Intel® Celeron® M processor with 1MB L2 cache
- 15.4" WXGA color TFT LCD, 1280 x 800 pixel resolution, 16 ms response time, 16:10 viewing ratio, supporting simultaneous multi-window viewing via Acer GridVista™
- Mobile Intel® 940GML Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950, up to 224 MB of shared system memory, supporting Microsoft® DirectX® 9.0

Model	Artikelnummer	Prijs inc. BTW _+ VAT _	
TM2492WLCi legitieme Windows® XP Media Center Edition 2005 , Intel® Celeron® M Processor 420 (1.6GHz/1MB/533MHz), 15.4TFT WXGA, 512MB DDR II RAM (1x 512), 60GB HDD, DVD-CDRW, 4-cell Lilon, 56K modem, Wired & Wireless Lan 802.11b/g, Intel GMA 64MB shared, no IEEE-1394, no S-video, no FIR, 5-in-1 card reader, AZB	LX.TEQ0J.027	EUR 599.00	
TM2492WLMi_512 legitieme Windows® XP Professional , Intel® Celeron® M Processor 420 (1.6Ghz/1MB/533MHz), 15.4TFT WXGA, 512MB DDR II RAM (1x 512), 60GB HDD, Super Multi DVD-RW Double Layer, 6-cell Lilon, 56K modem, Wired & Wireless Lan 802.11b/g, Intel GMA 64MB shared, no IEEE-1394, no S-video, no FIR, 5-in-1 card reader, AZB	LX.TEQ06.051	EUR 849.00	

TravelMate 4200

Standaardconfiguratie



Operating System	genuine Windows® XP Professional
Processor & Chipset	Intel® Centrino® Duo mobile technology, featuring: Intel® Core™ Duo processor with 2MB L2 Cache Intel® 945GM Express chipset with 667MHz FSB Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
Memory	DDR2 memory, upgradeable to 2 GB using dual soDIMM modules (dual-channel support)
HDD	ATA/100 Hard Disc Drive with Acer DASP (Disk Anti-Shock Protection)
Storage	DVD-Super Multi Double Layer drive
Display	15.4" WXGA color TFT LCD, 1280 x 800 pixel resolution, 16:10 viewing ratio, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colours Dual independent display support
Graphics	Intel® 945GM integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950 and up to 224 MB of shared memory, supporting Microsoft® DirectX® 9.0 and PCI Express® DualView™ support MPEG-2/DVD hardware assisted capability
Multimedia	Audio system with two built-in speakers Intel® High-Definition audio support S/PDIF (Sony/Philips Digital Interface) support for digital speakers Sound Blaster Pro™ and MS Sound compatible Built-in microphone
Communication	56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100/1000Mbps Gigabit Ethernet; Wake-on-LAN ready Integrated Intel® PRO/Wireless 2200BG network connection 802.11b/g dual band or 2915ABG network connection 802.11a/b/g tri-mode Wi-Fi CERTIFIED™ solution
I/O Interfaces	4 x USB 2.0 ; 1 x VGA for external monitor ; 1 x PC Card slot (Type II) ; 1 x Modem (RJ-11) port ; 1 x Gigabit Ethernet (RJ-45) port ; 1 x Speaker/ headphone/ line-out jack with S/PDIF support ; 1 x Microphone jack ; 1 x Line-in jack ; 1x DC-in jack for AC adapter
Security	Slot for Kensington lock BIOS user and supervisor passwords
Power supply and battery	ACPI 2.0 CPU power management standard: supports Standby and Hibernation power-saving modes 44W 6-cell Li-ion battery pack 3-hour battery life with 6-cell battery pack Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use 90 W AC Adapter
Keyboard & Special Controls	88-/89-key Acer FineTouch™ keyboard with 5-degree curve, inverted "T" cursor layout, 2.5 mm (minimum) key travel Touchpad with 4-way integrated scroll button 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Internet browser, email with LED, Empowering Key, and one user-programmable button Two front-access switches: WLAN and Bluetooth®
Weight and dimensions	358 (W) x 265 (D) x 29.33/36 (H) mm 2.77 kg
Quality & Reliability Tests	Temperature & humidity test ; Free drop test ; Acoustics test ; Weight and pressure test ; Spillage test; Shock and vibration test ; Electrostatic discharge immunity test; MTBF (Mean Time Between Failure) test ; Hinge life test ; Keyboard-switch life test
Software	Acer Empowering Technology (eDataSecurity Management / eLock Management / ePerformance Management / eRecovery Management / eSettings Management / eNet Management / ePower Management / ePresentation Management); Acer GridVista (Widescreen models only); Acer Launch Manager; Adobe Acrobat® Reader™ ; Cyberlink PowerDVD® ; NTI® CD Maker™ ; Norton AntiVirus™ (trial version)
Options	Additional memory modules Additional battery pack Additional AC adapter
Certifications	DMI 2.0 ACPI 2.0 Mobile PC2002 Cisco Compatible Extensions (CCX) Wi-Fi®
Warranty	One-year send-in with International Travelers Warranty (ITW)

Mobile Zakelijke Efficiency



Belangrijkste eigenschappen

- Intel® Core™ Duo processor with 2MB L2 Cache
- 15.4" WXGA color TFT LCD, 1280 x 800 pixel resolution, 16:10 viewing ratio, supporting simultaneous multi-window viewing via Acer GridVista™
- Intel® 945GM integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950 and up to 224 MB of shared memory, supporting Microsoft® DirectX® 9.0 and PCI Express®

Model	Artikelnummer	Prijs inc. BTW_+ VAT_	
TM4202WLMi legitieme Windows® XP Professional , Intel® Core™ Duo processor T2300 1.6GHz (FSB: 667MHz), 15.4TFT WXGA, 512MB DDR II RAM (1x 512), 80GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Lilon, 56K modem, Wired & Wireless Lan 802.11a/b/g, 64MB shared video memory, DASP 2, AZB	LX.TAV06.060	EUR 899.00	
TM4202WLMi legitieme Windows® XP Professional , Intel® Core™ Duo processor T2300 1.6GHz (FSB: 667MHz), 15.4TFT WXGA, 512MB DDR II RAM (1x 512), 80GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Lilon, 56K modem, Wired & Wireless Lan 802.11a/b/g, 64MB shared video memory, DASP 2, QWERTZU	LX.TAV06.077	EUR 899.00	

TravelMate 4230

Standaardconfiguratie

Operating System	genuine Windows® XP Professional
Processor & Chipset	Intel® Centrino® Duo mobile technology, featuring: Intel® Core™ 2 Duo processor with up to 2MB L2 Cache Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
Memory	Mobile Intel® 945GM Express chipset DDR2 memory, upgradeable to 2 GB using dual soDIMM modules (dual-channel support)
HDD	ATA/100 Hard Disc Drive with Acer DASP (Disk Anti-Shock Protection)
Storage	DVD-Super Multi Double Layer drive 5-in-1 card reader, supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD)
Display	15.4" WXGA TFT LCD, 1280 x 800 pixel resolution, 16 ms response time, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colours
Graphics	Mobile Intel® 945GM Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950 with up to 224 MB of shared system memory, supporting Microsoft® DirectX® 9.0, PCI Express® MPEG-2/DVD hardware assisted capability S-video/TV-out (NTSC/PAL) support
Multimedia	Intel® High-Definition audio support Two built-in Acer 3DSonic stereo speakers Sound Blaster Pro™ and MS Sound compatible Built-in microphone
Communication	56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100Mbps Fast Ethernet; Wake-on-LAN ready Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
I/O Interfaces	4x USB 2.0; 5-in-1 card reader (SD/MMC/MS/MS PRO/xD); 1 x External display (VGA) port; 1x S-video/TV-out (NTSC/PAL) port; 1 x PC Card slot (Type II); 1 x Modem (RJ-11) port; 1 x Fast Ethernet (RJ-45) port; 1 x Headphones/speaker/line-out jack; 1 x Microphone-in jack; 1x Line-in jack; 1x DC-in jack for AC adapter
Security	Acer Disk Anti-Shock Protection (DASP) Slot for Kensington lock BIOS user and supervisor passwords
Power supply and battery	ACPI 2.0 CPU power management standard: supports Standby and Hibernation power-saving modes 44W (6 cell) Li-ion battery pack up to 2.5-hour battery life with 6 cell battery and Mobile Intel® 945GM integrated 3D graphics Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use 90 W AC Adapter
Keyboard & Special Controls	88-/89-key Acer FineTouch™ keyboard with 5-degree curve, inverted "T" cursor layout, 2.5 mm (minimum) key travel Touchpad with 4-way integrated scroll button 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Internet browser, email with LED, Empowering Key, and one user-programmable button Two front-access switches: WLAN and Bluetooth®
Weight and dimensions	358 (W) x 265 (D) x 29.33/36 (H) mm 2.77 kg
Quality & Reliability Tests	Temperature & humidity test; Free drop test; Acoustics test; Weight and pressure test; Spillage test; Shock and vibration test; Electrostatic discharge immunity test; MTBF (Mean Time Between Failure) test; Hinge life test; Keyboard-switch life test
Software	Acer Empowering Technology (Acer eNet / ePower / ePresentation / eDataSecurity / eLock / eRecovery / eSettings / ePerformance Management) Acer GridVista™ Acer Launch Manager Adobe® Reader® Cyberlink PowerDVD® NTI® CD Maker™ Norton AntiVirus™ (trial version)
Options	Additional memory modules Additional battery pack Additional AC adapter
Certifications	DMI 2.0 ACPI Mobile PC2002 Cisco Compatible Extensions (CCX) Wi-Fi®
Warranty	One-year send-in International Travelers Warranty (ITW)

Een nieuw niveau in mobiele bedrijfsefficiëntie



Belangrijkste eigenschappen

- Intel® Core™ 2 Duo processor with up to 2MB L2 Cache
- 15.4" WXGA TFT LCD, 1280 x 800 pixel resolution, 16 ms response time, supporting simultaneous multi-window viewing via Acer GridVista™
- Mobile Intel® 945GM Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950 with up to 224 MB of shared system memory, supporting Microsoft® DirectX® 9.0, PCI Express®

Model	Artikelnummer	Prijs inc. BTW _+ VAT _	
TM4233WLMi legitieme Windows® XP Professional , Intel® Core™ 2 Duo processor T5500 1.66GHz (FSB: 667MHz), 15.4TFT WXGA, 512MB DDR II RAM (1x 512), 60GB HDD (5400rpm), Super Multi DVD-RW Double Layer (tray), 6-cell Lilon, 56K modem, Wired & Wireless Lan 802.11a/b/g, 128MB shared, 5-in-1 card reader, AZB	LX.TES06.022	EUR 999.00	
TM4233WLMi legitieme Windows® XP Professional , Intel® Core™ 2 Duo processor T5500 1.66GHz (FSB: 667MHz), 15.4TFT WXGA, 512MB DDR II RAM (1x 512), 60GB HDD (5400rpm), Super Multi DVD-RW Double Layer (tray), 6-cell Lilon, 56K modem, Wired & Wireless Lan 802.11a/b/g, 128MB shared, 5-in-1 card reader, QWERTZU	LX.TES06.023	EUR 999.00	

TravelMate 5620

Standaardconfiguratie

Operating System	genuine Windows® XP Professional
Processor & Chipset	Intel® Centrino® Duo mobile technology, featuring: Intel® Core™2 Duo processor with up to 2MB L2 cache Mobile Intel® 945PM Express chipset
Memory	Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
HDD	DDR2 memory, upgradeable to 4 GB using dual soDIMM modules (dual-channel support)
Storage	ATA/100 hard disc drive with Acer Disk Anti-Shock Protection (DASP) DVD-Super Multi double-layer drive 5-in-1 card reader, supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD)
Display	17" WXGA+ high-brightness (200-nit) TFT LCD, 1440 x 900 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colours
Graphics	Mobile Intel® 945GM Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950, up to 224 MB of shared system memory, supporting Microsoft® DirectX® 9.0 and PCI Express® DualView™ support MPEG-2/DVD hardware-assisted capability
Multimedia	Intel® high-definition audio support S/PDIF (Sony/Philips Digital Interface) support for digital speakers Two built-in Acer 3DSonic stereo speakers Sound Blaster Pro™ and MS Sound compatible Built-in microphone
Communication	Acer OrbiCam™ integrated 1.3 megapixel CMOS camera, featuring: • 225° ergonomic rotation • Acer VisageON™ technology • Acer PrimaLite™ technology (factory option) 56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100/1000Mbps Gigabit Ethernet; Wake-on-LAN ready Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
I/O Interface	4x USB 2.0 ports; 1x external display (VGA) port; 1x PC Card slot (Type II); 5-in-1 card reader (SD/MMC/MS/MS PRO/xD); 1x Modem (RJ-11) port; 1x Ethernet (RJ-45) port; 1x speaker/headphone/line-out jack with S/PDIF support; 1x microphone-in jack; 1x line-in jack; 1x DC-in jack for AC adapter
Security	Acer DASP (Disk Anti-Shock Protection) Slot for Kensington lock BIOS user and supervisor passwords
Power Supply & Battery	ACPI 2.0 CPU power management supporting Standby and Hibernation modes 44W (6 cell) Li-ion battery pack Up to 2.5-hour battery life for models with 6 cell battery and Mobile Intel® 945GM integrated 3D graphics 2 hour rapid charge, 2.5 hour charge-in-use 90 W AC adapter
Keyboard & Special Controls	105-/106-key keyboard, inverted "T" cursor layout, 2.5 mm (minimum) key travel Touchpad with 4-way integrated scroll button 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Internet, email, Empowering Key, one user-programmable button Two front-access LED-buttons: WLAN, Bluetooth®
Weight & Dimensions	400 (W) × 295 (D) × 31.4/39.9 (H) mm 3.66 kg
Quality & Reliability Tests	Temperature & humidity test; Free drop test; Acoustics test; Weight and Pressure test; Spillage test; Shock and Vibration test; Electrostatic discharge immunity test; MTBF (Mean Time Between Failure) test; Hinge life test; Keyboard-switch life test
Software	Acer Empowering Technology (Acer eNet, ePower, ePresentation, eDataSecurity, eLock, eRecovery, eSettings, ePerformance Management) Acer GridVista™ Acer Launch Manager Norton AntiVirus™ (trial version) Adobe® Reader® CyberLink® PowerDVD™ NTI CD Maker™
Options	Memory expansion modules Additional battery Additional AC adapter
Warranty	One-year send-in with International Travellers Warranty (ITW)

Verbreed uw zakelijke potentieel



Belangrijkste eigenschappen

- Intel® Core™2 Duo processor with up to 2MB L2 cache
- 17" WXGA+ high-brightness (200-nit) TFT LCD, 1440 x 900 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™
- Mobile Intel® 945GM Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950, up to 224 MB of shared system memory, supporting Microsoft® DirectX® 9.0 and PCI Express®

Model	Artikelnummer	Prijs inc. BTW _+ VAT _	
TM5623WSMi_512 legitieme Windows® XP Professional , Intel® Core™ 2 Duo processor T5500 1.66GHz (FSB:667MHz), Microsoft® Windows® XP Professional Edition SP2, 17TFT WXGA+, 512MB DDR II RAM (1x 512), 120GB HDD (5400rpm), Super Multi DVD-RW Double Layer, S/PDIF, 6-cell Lilon, 56K modem, Gigabit & Wireless Lan 802.11a/b/g, 64MB shared, no IEEE-1394, no FIR, no S-Video, 5-in-1 card reader, 1.3MP Orbicam, AZB	LX.TEM06.025	EUR 1299.00	
TM5623WSMi_512 legitieme Windows® XP Professional , Intel® Core™ 2 Duo processor T5500 1.66GHz (FSB:667MHz), Microsoft® Windows® XP Professional Edition SP2, 17TFT WXGA+, 512MB DDR II RAM (1x 512), 120GB HDD (5400rpm), Super Multi DVD-RW Double Layer, S/PDIF, 6-cell Lilon, 56K modem, Gigabit & Wireless Lan 802.11a/b/g, 64MB shared, no IEEE-1394, no FIR, no S-Video, 5-in-1 card reader, 1.3MP Orbicam, QWERTZU	LX.TEM06.024	EUR 1299.00	

TravelMate 6410

Standaardconfiguratie

Operating System	legitieme Windows® XP Professional
Processor & Chipset	Intel® Centrino® Duo mobile technology, featuring: Intel® Core™ 2 Duo processor with up to 2MB L2 Cache Mobile Intel® 945PM Express chipset
Memory	Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
HDD	DDR2 memory, upgradeable to 4 GB using dual soDIMM modules (dual-channel support)
Storage	S-ATA (5400rpm) Hard Disk Drive with Acer DASP (Disk Anti-Shock Protection)
Display	DVD-Super Multi Double Layer drive
Graphics	15.4" WXGA high-brightness TFT LCD, 1280 x 800 pixel resolution, 16 ms response time, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colours
Multimedia	Mobile Intel® 945GM Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950 with up to 224 MB of shared memory supporting Microsoft® DirectX® 9.0 DualView™ support MPEG-2/DVD hardware assisted capability Intel® High-Definition audio support Two built-in Acer 3DSonic (1.5 W) stereo speakers Sound Blaster Pro™ and MS Sound compatible Built-in microphone
Communication	56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100/1000Mbps Gigabit Ethernet, ASF 2.0 support, Wake-on-LAN ready Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
I/O Interfaces	3 x USB 2.0 ; 1 x External display (VGA) port; 1 x PC Card slot (Type II); 1 x Serial port; 1 x Modem (RJ-11) port ; 1 x Gigabit Ethernet (RJ-45) port ; 1 x Headphones/speaker/line-out jack; 1 x Microphone-in jack ; 1 x Line-in jack ; 1 x Acer ezDock II/ II+ connector; 1x DC-in jack for AC adapter
Security	TravelMate TPM (Trusted Platform Module) solution supporting Acer eDataSecurity Management Acer Disk Anti-Shock Protection (DASP) BIOS user, HDD and supervisor passwords Slot for Kensington lock
Power supply and battery	ACPI 2.0 CPU power management standard: supports Standby and Hibernation power-saving modes 44.4W 6-cell Li-ion battery pack Up to 3-hour battery life with 6 cell battery Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use 3-pin 90W AC Adapter
Keyboard & Special Controls	88-/89-key Acer FineTouch™ keyboard with 5-degree curve, inverted "T" cursor layout, 2.5 mm (minimum) key travel Dual navigation control, featuring Acer FineTrack™ with two FineTrack™ buttons and touchpad with 4-way scroll button 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Internet browser, email with LED, Empowering Key, and one user-programmable button Two communication LED switches: WLAN, Bluetooth®
Weight and dimensions	360 (W) x 271 (D) x 35.5 (H) mm 2.7 kg
Quality & Reliability Tests	Temperature & humidity test ; Free drop test ; Acoustics test ; Weight and pressure test ; Spillage test; Shock and vibration test ; Electrostatic discharge immunity test; MTBF (Mean Time Between Failure) test ; Hinge life test ; Keyboard-switch life test
Software	Acer Empowering Technology (Acer eNet, ePower, ePresentation, eDataSecurity, eLock, eRecovery, eSettings, ePerformance Management) Acer GridVista™ (Widescreen models only) Acer Launch Manager Adobe® Reader® Cyberlink PowerDVD® NTI® CD Maker™ Norton AntiVirus™ (trial version)
Options	Acer ezDock II Acer ezDock II+ Additional memory modules Additional battery pack Additional AC adapter
Certifications	DMI 2.0 ACPI 2.0 Mobile PC2002 Cisco Compatible Extensions (CCX) Wi-Fi® TCG 1.2
Warranty	One-year send-in with International Travelers Warranty (ITW)

Maximale bedrijfsefficiëncy



Belangrijkste eigenschappen

- Intel® Core™ 2 Duo processor with up to 2MB L2 Cache
- 15.4" WXGA high-brightness TFT LCD, 1280 x 800 pixel resolution, 16 ms response time, supporting simultaneous multi-window viewing via Acer GridVista™
- Mobile Intel® 945GM Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950 with up to 224 MB of shared memory supporting Microsoft® DirectX® 9.0
- 1 x Serial port

Model	Artikelnummer	Prijs inc. BTW_+ VAT_	
TM6413WLMi legitieme Windows® XP Professional , Intel® Core™ 2 Duo processor T5500 1.66GHz (FSB: 667MHz), Microsoft® Windows® XP Professional Edition SP2, 15.4TFT WXGA, 512MB DDR II RAM (1x 512), 80GB HDD (5400rpm SATA), Super Multi DVD-RW double layer, 6-cell Lilon, 56K modem, Wired & Wireless Lan 802.11a/b/g, 64MB shared, DASP 2, Serial port, AZB	LX.TCX06.047	EUR 1099.00	↘
TM6413WLMi legitieme Windows® XP Professional , Intel® Core™ 2 Duo processor T5500 1.66GHz (FSB: 667MHz), Microsoft® Windows® XP Professional Edition SP2, 15.4TFT WXGA, 512MB DDR II RAM (1x 512), 80GB HDD (5400rpm SATA), Super Multi DVD-RW double layer, 6-cell Lilon, 56K modem, Wired & Wireless Lan 802.11a/b/g, 64MB shared, DASP 2, Serial port, QWERTZU	LX.TCX06.064	EUR 1099.00	↘

TravelMate 6460

Standaardconfiguratie

Operating System	genuine Windows® XP Professional
Processor & Chipset	Intel® Centrino® Duo mobile technology, featuring: Intel® Core™2 Duo processor with up to 2 MB L2 cache Intel® 945PM Express chipset with 667MHz FSB Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
Memory	DDR2 memory, upgradeable to 4 GB using dual soDIMM modules (dual-channel support)
HDD	SATA (5400rpm) Hard Disk Drive with Acer DASP(Disk Anti-Shock Protection)
Storage	Acer MediaBay for hot-swappable optical drive module: DVD-Super Multi Double Layer drive 5-in-1 card reader, supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD)
Display	15.4"WSXGA+ high-brightness TFT LCD, 1680 x 1050 pixel resolution, 16 ms response time, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colours Dual independent display support
Graphics	ATI Mobility™ Radeon® X1300 with up to 512 MB HyperMemory™ (128 MB of dedicated GDDR2 VRAM, up to 384 MB of shared system memory), supporting ATI PowerPlay™ 5.0, Microsoft® DirectX® 9.0 DualView™ support MPEG-2/DVD hardware assisted capability S-video/TV-out (NTSC/PAL) support
Multimedia	Two built-in Acer 3DSonic (1.5 W) stereo speakers Intel® High-Definition audio support Sound Blaster Pro™ and MS Sound compatible Built-in microphone
Communication	Acer OrbiCam integrated 1.3 megapixel CMOS camera featuring: • 225-degree ergonomic rotation • Acer VisageOn technology • Acer Primalite technology 56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100/1000Mbps Gigabit Ethernet; Wake-on-LAN ready Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology Bluetooth® 2.0+EDR (Enhanced Data Rate) (manufacturing) option
I/O Interfaces	1 x Serial port; 3 x USB 2.0; 1 x Fast infrared (FIR) port; 1 x External display (VGA) port; 1 x ExpressCard™/34 slot; 1 x PC Card slot (Type II); 1 x SmartCard slot; 5-in-1 card reader (SD/MMC/MS/MS PRO/xD); 1 x S-video/ TV-out (NTSC/PAL) port; 1 x IEEE 1394 port; 1 x Modem (RJ-11) port; 1 x Gigabit Ethernet (RJ-45) port; 1 x Speaker/ headphone/ line-out jack; 1 x Microphone jack; 1 x Line-in jack; 1 x Acer ezDock II/ II+ connector; 1x DC-in jack for AC adapter
Security	Acer DASP+ (Disk Anti-Shock Protection Plus), including: •Acer DASP Technology •Acer GraviSense Technology •Anti-Theft HDD protection Technology TravelMate TPM (Trusted Platform Module) solution supporting Acer eDataSecurity Management TravelMate SmartCard solution Slot for Kensington lock BIOS user, Hard disk drive and supervisor passwords
Power supply and battery	ACPI 2.0 CPU power management standard: supports Standby and Hibernation power-saving modes 71W 8-cell Li-ion battery pack • 3.5-hour battery life • 5.5-hour battery life with Acer MediaBay 6-cell 2nd battery pack Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use 3-pin 90W AC Adapter
Keyboard & Special Controls	88-/89-key Acer FineTouch™ keyboard with 5-degree curve, inverted "T" cursor layout, 2.5 mm (minimum) key travel Dual navigation control, featuring Acer FineTrack™ with two FineTrack™ buttons and touchpad with 4-way scroll button 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Internet browser, email with LED, Empowering Key, and one user-programmable button Two front-access switches: WLAN and Bluetooth®
Weight and dimensions	360 (W) x 271 (D) x 35.5 (H) mm 2.7 kg
Quality & Reliability Tests	Free drop test Acoustics test Weight and pressure test Spillage test Shock and vibration test Electrostatic discharge immunity test MTBF (Mean Time Between Failure) test Hinge life test Keyboard-switch life test
Software	Acer Empowering Technology (eDataSecurity Management / eLock Management / ePerformance Management / eRecovery Management / eSettings Management / eNet Management / ePower Management / ePresentation Management) Acer GridVista™ (Widescreen models only) Acer Launch Manager Adobe Acrobat® Reader™ Cyberlink PowerDVD®

Core 2 Duo zakelijke veelzijdigheid



Belangrijkste eigenschappen

- Intel® Core™2 Duo processor with up to 2 MB L2 cache
- 15.4"WSXGA+ high-brightness TFT LCD, 1680 x 1050 pixel resolution, 16 ms response time, supporting simultaneous multi-window viewing via Acer GridVista™
- ATI Mobility™ Radeon® X1300 with up to 512 MB HyperMemory™ (128 MB of dedicated GDDR2 VRAM, up to 384 MB of shared system memory), supporting ATI PowerPlay™ 5.0, Microsoft® DirectX® 9.0
- 1 x Serial port

	NTI® CD Maker™
	Norton AntiVirus™ (trial version)
	PlatinumSecret™ suite
Options	Acer ezDock II (passiv)
	Acer ezDock II+ (active)
	Additional memory modules
	Additional battery pack
	Additional AC adapter
	Acer MediaBay 6-cell 3800 mAh Li-ion 2nd battery pack
Certifications	TCG 1.2
	DMI 2.0
	ACPI 2.0
	Mobile PC2002
	Cisco Compatible Extensions (CCX)
	Wi-Fi®
Warranty	One-year send-in with International Travelers Warranty (ITW)

Model	Artikelnummer	Prijs inc. BTW _+ VAT _	
TM6464WLMib_512 legitieme Windows® XP Professional , Intel® Core™ 2 Duo processor T5600 1.83GHz (FSB: 667MHz), 15.4TFT WSXGA+, 512MB DDR II RAM (1x 512), 120GB HDD (5400rpm SATA), Super Multi DVD-RW Double Layer, 8-cell Lilon, 56K modem, Gigabit & Wireless Lan 802.11a/b/g, ATI X1300 128MB/512MB HM, BT, 1.3MP Orbicam, DASP +, IEEE-1394, S-video, FIR, Expresscard, AZB	LX.TED06.143	EUR 1399.00	
TM6464WLMib_512 legitieme Windows® XP Professional , Intel® Core™ 2 Duo processor T5600 1.83GHz (FSB: 667MHz), 15.4TFT WSXGA+, 512MB DDR II RAM (1x 512), 120GB HDD (5400rpm SATA), Super Multi DVD-RW Double Layer, 8-cell Lilon, 56K modem, Gigabit & Wireless Lan 802.11a/b/g, ATI X1300 128MB/512MB HM, BT, 1.3MP Orbicam, DASP +, IEEE-1394, S-video, FIR, Expresscard, QWERTZU	LX.TED06.141	EUR 1399.00	

TravelMate 8210

Standaardconfiguratie

Operating System	genuine Windows® XP Professional
Processor and chipset	Intel® Centrino® Duo mobile technology, featuring: Intel® Core™ 2 Duo processor with up to 2MB L2 Cache supporting Intel® Extended Memory 64 Technology (Intel® EM64T) Mobile Intel® 945PM Express chipset Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
Memory	DDR2 memory, upgradeable to 4 GB using dual soDIMM modules (dual-channel support)
HDD	S-ATA (5400rpm) Hard Disk Drive with Acer DASP (Disk Anti-Shock Protection)
Storage	Acer MediaBay for hot-swappable optical drive module: Blu-ray Disc drive or DVD-Super Multi Double Layer drive 5-in-1 card reader, supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD)
Display	15.4"WSXGA+ TFT LCD, 1680 x 1050 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colours
Graphics	ATI Mobility™ Radeon® X1600 with up to 512 MB HyperMemory™ (256 MB of dedicated GDDR3 VRAM, 256 MB of shared system memory), supporting ATI PowerPlay™ 5.0, ATI DualView™, Microsoft® DirectX® 9.0, PCI Express® 16.7 million colors MPEG-2/DVD hardware assisted capability S-video/TV-out (NTSC/PAL) support DVI-D (true digital video interface) support
Multimedia	Intel® High-Definition audio support S/PDIF (Sony/Philips Digital Interface) support for digital speakers Sound Blaster Pro™ and MS Sound compatible Two built-in Acer 3DSonic stereo speakers Built-in microphone
Communication	Acer Video Conference featuring Voice and Video over Internet Protocol (VoIP) support via Acer OrbiCam and optional Acer Bluetooth® VoIP phone Acer OrbiCam integrated 1.3 megapixel CMOS camera featuring: • 225-degree ergonomic rotation • Acer VisageOn technology • Acer PrimaLite technology 56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100/1000Mbps Gigabit Ethernet; Wake-on-LAN ready Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology Bluetooth® 2.0+EDR (Enhanced Data Rate)
I/O Interface	4 x USB 2.0 ports; 1 x Fast infrared (FIR) port; 1 x External display (VGA) port; 1 x ExpressCard™/34 slot ; 1 x PC Card slot (type II); 1 x SmartCard slot; 5-in-1 card reader (SD/MMC/MS/MS PRO/xD) ; 1 x S-video/ TV-out (NTSC/PAL) port ; 1 x DVI-D port; 1 x IEEE 1394 port; 1 x Modem (RJ-11) port; 1 x Gigabit Ethernet (RJ-45) port; 1 x Speaker/ headphone/ line-out jack with S/PDIF support ; 1 x Microphone ; 1 x Line-in jack ; 1 x 124-pin Acer ezDock connector; 1 x DC-in jack for AC adapter
Security	Acer DASP+ (Disk Anti-Shock Protection Plus), including: •Acer DASP Technology •Acer GraviSense Technology •Anti-Theft HDD protection Technology TravelMate SmartCard solution Slot for Kensington lock BIOS user and supervisor passwords
Power Supply & Battery	ACPI 2.0 CPU power management standard: supports Standby and Hibernation power-saving modes 87W 9-cell Li-ion battery pack 3.5-hour battery life with 9-cell battery pack Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 3-hour charge-in-use 3-pin 90W AC adapter
Keyboard & Special Controls	88-/89-key Acer FineTouch™ keyboard with 5-degree curve, inverted "T" cursor layout, 2.5 mm (minimum) key travel Touchpad with 4-way integrated scroll button 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Empowering Key, email, Internet, one user-programmable button Two front-access communication LED switches: WLAN, Bluetooth®
Dimensions & Weight	364 (W) x 271 (D) x 26.3/38 (H) mm 3.0 kg
Quality & Reliability Tests	Temperature & humidity test; Free drop test; Acoustics test; Weight and pressure test; Spillage test; Shock and vibration test; Electrostatic discharge immunity test ; MTBF (Mean Time Between Failure) test; Hinge life test; Keyboard-switch life test
Software	Acer Empowering Technology (eDataSecurity Management / eLock Management / ePerformance Management / eRecovery Management / eSettings Management / eNet Management / ePower Management / ePresentation Management) Acer GridVista™ Acer Launch Manager Norton AntiVirus™ (trial version) Adobe® Reader® CyberLink® PowerDVD™ NTI CD-Maker™ PlatinumSecret™ suite
Options	Acer ezDock Acer ezDock Lite

Krachtige Mobiele Leider



Belangrijkste eigenschappen

- Intel® Core™ 2 Duo processor with up to 2MB L2 Cache supporting Intel® Extended Memory 64 Technology (Intel® EM64T)
- 15.4"WSXGA+ TFT LCD, 1680 x 1050 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™
- ATI Mobility™ Radeon® X1600 with up to 512 MB HyperMemory™ (256 MB of dedicated GDDR3 VRAM, 256 MB of shared system memory), supporting ATI PowerPlay™ 5.0, ATI DualView™, Microsoft® DirectX® 9.0, PCI Express® 16.7 million colors

	Additional memory modules
	Additional battery pack
	Additional AC adapter
	W-cable
Certifications	ACPI 2.0
	Mobile PC2002
	DMI 2.0
	Wi-Fi®
	Cisco Compatible Extensions (CCX)
Warranty	1 year send-in with International Travellers Warranty

Model	Artikelnummer	Prijs inc. BTW_+ VAT_	
TM8215WLHib legitieme Windows® XP Professional , Intel® Core™ 2 Duo processor T7200 2.0GHz (FSB:667MHz), Carbon Fiber casing, 15.4TFT WSXGA+, 2048MB DDR II RAM (2x 1024MB), 160GB HDD (5400rpm SATA) , Blu-Ray drive, 9-cell Lilon, 56K modem, Gigabit & Wireless Lan 802.11a/b/g, DVI, ATI X1600 256MB/512MB HM, Bluetooth + VOIP BT phone, 5-in-1 card reader, 1.3MP camera, DASP2, ezDock connector, SmartCard, AZB	LX.TEG06.017	EUR 2899.00	
TM8215WLHib legitieme Windows® XP Professional , Intel® Core™ 2 Duo processor T7200 2.0GHz (FSB:667MHz), Carbon Fiber casing, 15.4TFT WSXGA+, 2048MB DDR II RAM (2x 1024MB), 160GB HDD (5400rpm SATA) , Blu-Ray drive, 9-cell Lilon, 56K modem, Gigabit & Wireless Lan 802.11a/b/g, DVI, ATI X1600 256MB/512MB HM, Bluetooth + VOIP BT phone, 5-in-1 card reader, 1.3MP camera, DASP2, ezDock connector, SmartCard, QWERTZU	LX.TEG06.033	EUR 2899.00	

Tablet PC

TravelMate C210: Empowered om uw Bedrijf te Transformeren



Zelfs in de korte historie van mobiele computers hebben slechts weinig bedrijven blijk gegeven van een lange adem. Nog minder hebben consequent geavanceerde, gebruiksvriendelijke producten ontwikkeld en geproduceerd die internationale bijval hebben verdiend. Acer is zo'n uniek bedrijf, en de TravelMate C210 tablet PC zo'n uniek product, dat het allerbeste weerspiegelt op het gebied van mobiele technologie, voor de ultieme mobiele ervaring.

TravelMate C210

Standaardconfiguratie

Operating System	genuine Windows® XP Tablet PC Edition
Processor & Chipset	Intel® Centrino® Duo mobile technology, featuring: Intel® Core™2 Duo processor with up to 2 MB L2 cache Mobile Intel® 945PM Express chipset Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
Memory	DDR2 memory, upgradeable to 4 GB using dual soDIMM modules (dual-channel support)
HDD	ATA/100 hard disc drive
Storage	Slot load DVD-SuperMulti double layer drive 4-in-1 card reader supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS-Pro)
Display	12.1" XGA TFT LCD supporting EMR (electromagnetic resonance) pen-based input, 1024 x 768 pixel resolution Sliding display converts between notebook and tablet modes 16.7 million colours
Graphics	NVIDIA® GeForce® Go 7300 with up to 256 MB TurboCache™ (128 MB of dedicated GDDR3 VRAM, up to 128 MB of shared system memory), supporting Microsoft® DirectX® 9.0, Shader Model 3.0, OpenEXR High Dynamic Range (HDR) technology, NVIDIA® PowerMizer™ 6.0, PCI Express® Dual independent display support via DualView™ MPEG-2/DVD hardware-assisted capability
Multimedia	Intel® High Definition Audio support One built-in speaker Built-in microphone Sound Blaster™ Pro and MS Sound compatible
Communication	Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology 56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100/1000 Mbps Gigabit Ethernet; Wake-on-LAN ready Bluetooth® 2.0+EDR (Enhanced Data Rate)
I/O Interfaces	124-pin Acer ezDock connector; 3x USB 2.0 ports ; 1x Fast infrared (FIR) port ; 1 x external display (VGA) port ; 1x PC Card slot (Type II) ; 4-in-1 card reader (MS/MS-Pro/MMC/SD) ; 1x IEEE 1394 port ; 1x Modem (RJ-11) port ; 1x Ethernet (RJ-45) port ; 1x speaker/headphone/ line-out jack ; 1x microphone-in jack ; 1x Line-in jack ; 1x DC-in jack for AC adapter
Security	TravelMate biometric fingerprint reader BIOS user and supervisor passwords Slot for Kensington lock
Power Supply & Battery	ACPI 2.0 power management standard supporting Standby and Hibernation power-saving modes 53 W Li-ion battery pack and 22 W Li-ion battery pack (6-cell and 3-cell) Optional Acer MediaBay Li-ion 2nd battery pack (6-cell) Up to 4.5-hour battery life with 6-cell battery and 2nd 6-cell battery pack Up to 3-hour battery life with 3-cell battery and 2nd 6-cell battery pack 2.5-hour system-off rapid charge; 3.5-hour charge-in-use 65 W AC Adapter
Keyboard & Special Controls	84-/85-key keyboard with inverted "T" cursor layout; 2.5 mm (minimum) key travel Security access via TravelMate biometric fingerprint reader (factory option) Dual navigation control, featuring Acer FineTrack™ with two FineTrack™ buttons and a scroll wheel with up, down, enter functions 12 function keys, four cursor keys, two Windows® keys, hotkey controls, embedded numeric keypad, international language support Four easy-launch buttons: Internet, email, Empowering Key, user-programmable button Two front-access LED-buttons: WLAN, Bluetooth® Four tablet-mode buttons: Windows Security, Function, Esc, Screen Rotate Electromagnetic Resonance (EMR) pen with eraser, supporting pressure sensitivity
Dimensions & Weight	315 (W) x 238 (D) x 35.3 (H) mm 2.5 kg with 6-cell battery and optical drive module
Quality & Reliability Tests	Temperature & Humidity Test ; Free Drop Test ; Acoustics Test ; Weight and Pressure Test ; Spillage Test ; Shock and Vibration Tests ; Electrostatic Discharge Immunity Test ; MTBF (Mean Time Between Failure) Test ; Hinge Life Test ; Keyboard-switch Life test ; Slide Hinge test ; LCD Scratch test ; LCD Ripple test ; Hook Durability test ; EMR Pen Holder test
Software	Acer Empowering Technology (Acer eNet, ePower, ePresentation, eDataSecurity, eLock, eRecovery, eSettings, ePerformance Management) Acer Launch Manager Acer Protector Suite QL fingerprint utility (on models with Fingerprint reader only) Acer Soft Button Microsoft® Experience Tablet PC (English version) Microsoft® Windows® Journal Microsoft® Reader Norton AntiVirus™ (trial version) Adobe Reader™ CyberLink® PowerDVD NTI CD-Maker™

Empowered om uw Bedrijf te Transformeren



Belangrijkste eigenschappen

- Intel® Core™2 Duo processor with up to 2 MB L2 cache
- 12.1" XGA TFT LCD supporting EMR (electromagnetic resonance) pen-based input, 1024 x 768 pixel resolution
- NVIDIA® GeForce® Go 7300 with up to 256 MB TurboCache™ (128 MB of dedicated GDDR3 VRAM, up to 128 MB of shared system memory), supporting Microsoft® DirectX® 9.0, Shader Model 3.0, OpenEXR High Dynamic Range (HDR) technology, NVIDIA® PowerMizer™ 6.0, PCI Express®

Options	Memory expansion modules
	Additional AC adapter
	Additional 9-cell Li-ion battery pack
	Acer MediaBay 6-cell Li-ion 2nd battery pack
	Acer ezDock
Certifications	Acer ezDock Lite
	Cisco Compatible Extension (CCX)
	Wi-Fi®
	Mobile PC2002
	ACPI
Warranty	DMI 2.0
	One year send-in with International Travellers Warranty

Model	Artikelnummer	Prijs inc. BTW_+ VAT_	
TMC213TMib legitieme Windows® XP Tablet PC Edition , Intel® Core™ 2 Duo processor T5500 1.66GHz (FSB: 667MHz), 12.1TFT, 1024MB DDR II RAM (2x 512), 100GB HDD, DVD-Dual Double Layer (slot), 3+6 cell Lilon, 56K modem, Gigabit & Wireless Lan 802.11a/b/g, Bluetooth, FW1394, S-Video, UK/French version, NVIDIA GeForce 7300 Go with TurboCache™ technology 128/256, 4-in-1 card reader, ezDock connector, Finger print, AZB	LX.TDG0E.061	EUR 1999.00	

Aspire

Aspire 3680: Een nieuw niveau aan betaalbare prestaties



De Aspire 3680 is ontworpen als complete thuis- en bedrijfscomputer die prestaties, flexibiliteit en kracht in een waardevolle en compacte notebook bundelt. Met een Intel® Celeron® processor, volledige draadloze en bedrade connectiviteitsopties en een verbluffende 14.1" WXGA display, brengt de Aspire 3680 productiviteit en entertainment naar een nieuw niveau.

Aspire 3690: Uitvoerige mobiele prestaties



De Aspire 3690 vestigt een nieuwe standaard voor betaalbare mobiele multimedia voor privé-gebruikers, zelfstandige professionals en gebruikers in kleine en middelgrote bedrijven. Deze slanke, elegante en zeer efficiënte, compacte breedbeeld notebook is voorzien van een complete set bekabelde en draadloze connectiviteitsopties en Acers innovatieve Empowering Technology, voor een uitgebreide en veelzijdige oplossing voor mobiel multimediebeheer.

Aspire 5040: Beeld en waarde



Wanneer de verbazingwekkende graphics van de Aspire 5040 worden vertoond op diens oogverblindende 15,4" WXGA Acer CrystalBrite-scherm, vergezeld door helder S/PDIF digitaal geluid, levert dat een duidelijk superieure multimedia-ervaring op. Van belangrijke verkooppresentaties tot de populairste muziekclips, levert de Aspire 5040 een spectaculaire audiovisuele show!

Aspire 5050: Verdubbel uw entertainment potentieel



De Aspire 5050 is ontworpen om een complete thuis- en bedrijfsoplossing te bieden die prestaties, flexibiliteit, 'empowerment' en waar voor uw geld levert in een compacte notebook. Voorzien van het nieuwe AMD® Turion™ 64 Technologie platform, volledige bekabelde en draadloze connectiviteit en een verbazingwekkend 14,1" WXGA-scherm, bereikt de Aspire 5050 nieuwe niveaus qua productiviteit en entertainment.

Aspire 5100: De 64-bit mobiliteit leider



De slanke en stijlvolle Acer Aspire 5100-modellen zijn uitgerust met de nieuwste AMD Turion™ 64 mobile technologie met AMD PowerNow!™, HyperTransport™, Enhanced Virus Protection en 3DNow!™ Professional technologie. PowerNow! biedt ondersteuning voor buitengewoon lange systeembatterijduur, terwijl HyperTransport™ technologie zorgt voor 's werelds snelste communicatie tussen componenten. Ontwikkeld voor zelfstandige professionals en power users in kleine en middelgrote bedrijven die op zoek zijn naar een krachtig 64-bit systeem als mobiele werkplek 'ter plaatse', garandeert de Acer Aspire 5100 verbazingwekkende bedrijfsresultaten. De Aspire 5100 is tevens geschikt voor ruimtebewuste thuisgebruikers die op zoek zijn naar dynamische multimediamogelijkheden en boeiend home entertainment.

Aspire 5610: Verbreed uw Entertainment Horizon



De Aspire 5610 combineert drie belangrijke elementen: power, verbazingwekkende multimedia en probleemloze connectiviteit in een stijlvol compact entertainmentsysteem, ontwikkeld om onverslaanbare allround waar voor uw geld te leveren. Met een 15,4" WXGA CrystalBrite-scherm, tot 120GB opslag en de eenvoud van Acer Empowering Technology, is de Aspire 5610 een werkelijk unieke bron voor mobiel entertainment.

Aspire 5630: Een uitbreiding van uw entertainment horizon



De Aspire 5630 combineert drie belangrijke elementen: de nieuwste 64-bit dual-core power, fantastische multimedia en moeiteloze connectiviteit in een stijlvol, compact entertainment systeem, ontworpen om onverslaanbare allround waarde te bieden. Met een 15,4" WXGA CrystalBrite scherm (met geïntegreerde 1,3MP videocamera), grote harddisk drives en de eenvoud van Acers Empowering Technologie, is de Aspire 5630 een werkelijk unieke bron van mobiel entertainment.

Aspire 5670: Een Nieuwe Kijk op Mobiel Entertainment



Onderzoek bij Acer heeft zich altijd geconcentreerd op de ontwikkeling van geavanceerde mobiele oplossingen die ontworpen werden om ongeëvenaarde prestaties en betrouwbaarheid te bieden. De Aspire 5670 vestigt nieuwe standaarden voor mobiel multimedia-entertainment door Centrino® Duo Mobile Technology te combineren met een prachtig breedbeeld CrystalBrite-scherm en geïntegreerde 1,3 megapixels videocamera, met als resultaat een fascinerende home entertainmentervaring.

Aspire 5680: 64-Bit Dual-Core voor uw digitale wereld



De opvallende Aspire 5680 combineert de nieuwste 64-bit Core 2 Duo Dual-Core technologie van Intel® met de verfijnde power van de nieuwste specifieke NVIDIA® GeForce® Go videokaarten, een ongelooflijk breedbeeldscherm en geïntegreerde 1,3MP videocamera, en tilt de kunst van mobiel entertainment zo naar een nieuw niveau. Compleet uitgerust met volledige bekabelde en draadloze connectiviteit en Acer Arcade softwaresuite brengt de Aspire 5680 nieuwe energie naar uw digitale wereld.

Aspire 7110: Efficiënt Entertainment



De Aspire 7110-serie werd ontwikkeld als een compleet en kosteneffectief communicatie-instrument dat waarde en prestaties combineert in een handige, stijlvolle, eenvoudig te gebruiken behuizing. Aangedreven door een Intel® Celeron M-processor en voorzien van een superhelder 17"breedbeeldscherm met geïntegreerde videocamera en volledige bekabelde en draadloze connectiviteitsopties, biedt de Aspire 7110 uitstekende prestaties en spectaculaire waar voor uw geld.

Aspire 9410: Uitbreiding voor uw Entertainmentpotentieel



De Aspire 9410 maakt z'n entertainmentpotentieel duidelijk in een heldere, universele taal. Aangedreven door de nieuwste Intel® Centrino® Duo mobile technology en compleet met volledige bekabelde en draadloze connectiviteit, 17"breedbeeldscherm en ingebouwde videocamera, maakt de Aspire 9410 z'n belofte om het maximale te leveren qua multimediateprestaties volledig waar...

Aspire 9800: De Ultieme Entertainment Ervaring



De Aspire 9800 is de ultieme, veelzijdige home entertainment oplossing, aangedreven door de nieuwste Intel® Centrino® Duo mobile technology en compleet uitgerust met volledige bekabelde en draadloze connectiviteit. De Aspire 9800 is tevens voorzien van een ingebouwde 1,3 megapixel videocamera, TV-tuner en een werkelijk prachtig 20"Wide CrystalBrite-scherm die voor zo'n intense digitale ervaring zorgt dat u uw ogen niet zult geloven.

Aspire 9810: Onovertroffen Entertainmentervaring



De Aspire 9810 is de ultieme, veelzijdige home entertainment oplossing, aangedreven door de nieuwste 64-bit Intel® Centrino® 2 Duo Mobile technologie en compleet uitgevoerd met volledig bekabelde en draadloze connectiviteit. De Aspire 9810 is tevens voorzien van een ingebouwde 1,3 megapixel videocamera, TV-tuner, en een werkelijk ongelooflijk 20"Wide CrystalBrite scherm voor een dusdanig intense digitale ervaring dat u uw ogen niet zult geloven.

Aspire 3680

Standaardconfiguratie

Operating System	genuine Windows® XP Home Edition
Processor & Chipset	Intel® Celeron® M processor with 1MB L2 cache and 533MHz FSB Mobile Intel® 940GML Express chipset
Memory	DDR2 memory, upgradeable to 2 GB using two soDIMM modules (dual-channel support)
HDD	ATA/100 hard disk drive
Storage	DVD-SuperMulti double layer drive 5-in-1 card reader, supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD)
Display	14.1" WXGA TFT LCD, 1280 x 800 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colours
Graphics	Mobile Intel® 940GML Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950, up to 224 MB of shared system memory, supporting Microsoft® DirectX® 9.0 Dual independent display support MPEG-2/DVD hardware-assisted capability Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies
Multimedia	Intel® High Definition audio support Two built-in Acer 3DSonic stereo speakers Sound Blaster Pro™ and MS-Sound compatible S/PDIF (Sony/Philips Digital Interface) support for digital speakers Built-in microphone
Communication	Acer InViLink™ 802.11b/g Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology 56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100 Mbps Fast Ethernet; Wake-on-LAN Ready
I/O Interfaces	5-in-1 card reader (SD, MMC, MS, MS PRO, xD) 3x USB 2.0 ports 1x external VGA port 1x PC Card slot (Type II) 1x Modem (RJ-11) port 1x Ethernet (RJ-45) port 1x Headphones/speaker/line-out jack with S/PDIF support 1x Microphone-in jack 1x Line-in jack 1x DC-in jack for AC adapter
Security	Slot for Kensington lock BIOS, user and supervisor passwords
Power supply and battery	ACPI 2.0 CPU power management supporting Standby and Hibernation modes 44.4 W Li-ion battery pack (6 cell) Up to 2.5 hours battery life 2-hour rapid charge system-off; 2.5-hour charge-in-use 65W AC adapter
Keyboard & Special Controls	88-/89-key keyboard, inverted "T" cursor layout, 2.5 mm (minimum) key travel Touchpad with 4-way integrated scroll button 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Empowering Key, Internet, email, user-programmable button Two front-access communication LED switches: WLAN, Bluetooth® (Bluetooth models only)
Weight and dimensions	341 (W) x 251 (D) x 28/35 (H) mm 2.4 kg
Quality & Reliability Tests	Temperature and Humidity test ; Free Drop test ; Acoustics test ; Weight and Pressure test ; Spillage test; Shock and Vibration test ; Electrostatic Discharge Immunity test ; Hinge Life test ; MTBF (Mean Time Between Failure) test ; Keyboard-switch life test
Software	Acer Empowering Technology (Acer ePower , ePresentation, eDataSecurity, eRecovery, eSettings, ePerformance Management) Acer GridVista™ Acer Launch Manager Acer Arcade™ Norton AntiVirus™ (trial version) Adobe® Reader® CyberLink PowerProducer™ NTI® CD-Maker™
Options	Memory expansion modules Additional battery Additional AC adapter
Warranty	1 year send-in with International Travellers Warranty

Een nieuw niveau aan betaalbare prestaties



Belangrijkste eigenschappen

- Intel® Celeron® M processor with 1MB L2 cache and 533MHz FSB
- 14.1" WXGA TFT LCD, 1280 x 800 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™
- Mobile Intel® 940GML Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950, up to 224 MB of shared system memory, supporting Microsoft® DirectX® 9.0

Model	Artikelnummer	Prijs inc. BTW _+ VAT _	↓
AS3682WXMi legitieme Windows® XP Media Center Edition 2005 , Intel® Celeron® M Processor 420 (1.6GHz/1MB/533MHz), 14.1TFT WXGA, 1024MB DDR RAM (2x 512), 80GB HDD, DVD-RW Dual Double Layer, 6-cell Lilon, 56K modem, Wired & Wireless Lan 802.11g, Intel® GMA950 128MB shared, no S-video, no IEEE-1394, no FIR, 0.3MP Orbicam, 5-in-1 card reader, AZB	LX.AZK0J.002	EUR 699.00	↓

Aspire 3690

Standaardconfiguratie

Operating System	genuine Windows® XP Home Edition
Processor & Chipset	Intel® Celeron® M processor with 1 MB L2 cache and 533MHz FSB Mobile Intel® 940GML Express chipset
Memory	DDR2 memory, upgradeable to 2 GB using two soDIMM modules (dual-channel support)
HDD	ATA/100 hard disk drive
Storage	DVD-SuperMulti Double Layer drive 5-in-1 card reader, supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD)
Display	15.4" WXGA color TFT LCD, 1280 x 800 pixel resolution, 16 ms response time, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colours
Graphics	Mobile Intel® 940GML Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950, up to 224 MB of shared system memory, supporting Microsoft® DirectX® 9.0 DualView™ support MPEG-2 DVD hardware-assisted capability Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies
Multimedia	Intel® High Definition audio support Two built-in Acer 3DSonic stereo speakers Sound Blaster Pro™ and MS-Sound compatible Built-in microphone
Communication	Acer OrbiCam™ integrated 310,000 pixel CMOS camera 1, featuring: • 225° ergonomic rotation • Acer PrimaLite™ technology (factory option) Acer InviLink™ 802.11b/g Wi-Fi CERTIFIED™ network solution, supporting Acer SignalUp™ wireless technology 56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100 Mbps Fast Ethernet; Wake-on-LAN Ready
I/O Interfaces	3x USB 2.0 ports ; 1x external display (VGA) port ; 5-in-1 card reader (SD, MMC, MS, MS PRO, xD); 1x PC Card slot (Type II) ; 1x Modem (RJ-11) port ; 1x Ethernet (RJ-45) port ; 1x speaker/headphone/ line-out jack ; 1x Microphone-in jack ; 1x Line-in jack ; 1x DC-in jack for AC adapter
Security	Kensington lock slot BIOS user and supervisor passwords
Power Supply & Battery	ACPI 2.0 CPU power management standard: supports Standby and Hibernation power-saving modes 44W Li-ion battery pack (6-cell) Up to 2.5-hours battery life Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use 65W AC adapter
Keyboard & Special Controls	88-/89-key keyboard, inverted "T" cursor layout, international language support, 2.5 mm (minimum) key travel Touchpad with 4-way scroll button 12 function keys, four cursor keys, two Windows® keys, hotkey controls, embedded numeric keypad Four easy-launch buttons: Internet, email, Empowering Key and one user-programmable button Two front-access communication switches: WLAN, Bluetooth® (for models with Bluetooth/WLAN only)
Weight & Dimensions	358 (W) x 265 (D) x 29.33/36 (H) mm 2.77 kg
Quality & Reliability tests	Temperature and Humidity test ; Free Drop test; Acoustics test ; Weight and Pressure test ; Spillage test ; Shock and Vibration test ; Electrostatic Discharge immunity test ; MTBF (Mean Time Between Failure) test ; Hinge Life test ; Keyboard-switch life test
Software	Acer Empowering Technology (Acer ePower, ePresentation, eDataSecurity, eLock, eRecovery, eSettings, ePerformance Management) Acer GridVista™ (widescreen models only) Acer Launch Manager Aspire Arcade Norton AntiVirus™ (trial version) Adobe® Reader® CyberLink PowerProducer™ NTI CD-Maker™
Options	Memory expansion modules Additional battery Additional AC adapter
Warranty	1 year send-in with International Travellers Warranty (ITW)

Uitvoering mobiele prestaties



Belangrijkste eigenschappen

- Intel® Celeron® M processor with 1 MB L2 cache and 533MHz FSB
- 15.4" WXGA color TFT LCD, 1280 x 800 pixel resolution, 16 ms response time, supporting simultaneous multi-window viewing via Acer GridVista™
- Mobile Intel® 940GML Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950, up to 224 MB of shared system memory, supporting Microsoft® DirectX® 9.0

Model	Artikelnummer	Prijs inc. BTW _+ VAT _	
AS3692WLMi legitieme Windows® XP Home Edition , Intel® Celeron® M Processor 420 (1.6GHz/1MB/533MHz), 15.4TFT WXGA CrystalBrite, 512MB DDR II RAM (1x 512), 80GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 4-cell Lilon, 56K modem, Wired & Wireless Lan 802.11g, 128MB shared, no IEEE-1394, no FIR, 0.3MP Orbicam, 5-in-1 card reader, AZB	LX.AF705.114	EUR 699.00	
AS3692WLMi legitieme Windows® XP Media Center Edition 2005 , Intel® Celeron® M Processor 420 (1.6GHz/1MB/533MHz), 15.4TFT WXGA CrystalBrite, 1024MB DDR II RAM (2x 512), 80GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Lilon, 56K modem, Wired & Wireless Lan 802.11g, 128MB shared, no IEEE-1394, no FIR, 0.3MP Orbicam, 5-in-1 card reader, AZB	LX.AY70J.002	EUR 749.00	

Aspire 5040

Standaardconfiguratie

Processor & Chipset	AMD Turion™ 64 processor with up to 512 KB L2 cache, AMD PowerNow!™ Technology, AMD HyperTransport™ Technology
Memory	ATI RADEON® Xpress 200M series chipset DDR333 memory, upgradeable to 1 GB using dual soDIMM modules
HDD	ATA/100 hard disc drive
Storage	DVD-Dual double-layer drive
Display	15.4" WXGA Acer CrystalBrite™ TFT LCD, 1280 x 800 pixel resolution 16.7 million colors Supporting simultaneous multi-window viewing via Acer GridVista
Graphics	ATI RADEON® Xpress 200M integrated 3D graphics, featuring HyperMemory™ and up to 128 MB of shared system memory DualView™ support MPEG-2/DVD hardware assisted capability Acer CinemaVision™ video technology (Acer Arcade) Acer ClearVision™ video optimization technology (Acer Arcade)
Multimedia	Audio system with two built-in speakers Sound Blaster® Pro and MS-Sound compatible High-Definition audio support Built-in microphone
Communication	56K ITU V.92 modem (with international PTT certification), Wake-on-Ring ready 10/100 Ethernet; Wake-on-LAN ready integrated Acer InViLink™ network connection (802.11b/g dual band) Wi-Fi CERTIFIED™ solution Acer SignalUp wireless technology support
I/O Interfaces	4x USB 2.0 ports 1x external display (VGA) port 1x PC Card slot (Type II) 1x Modem (RJ-11) port 1x Ethernet (RJ-45) port 1x speaker/ headphone/ line-out jack support 1x microphone/ line-in jack 1x DC-in jack for AC adaptor
Security	Slot for Kensington lock BIOS user and supervisor passwords
Power supply and battery	ACPI power management supporting Standby and Hibernation modes 44.6 W Li-ion battery pack (6-cell) Up to 2 hours battery life with 6-cell battery pack Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use 65 W AC adaptor
Keyboard & Special Controls	88-/89-key keyboard, inverted "T" cursor layout; 2.5 mm (minimum) key travel Touchpad with buttons and 4-way integrated scroll keys 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Internet browser, email with LED, Empowering Key, and one user-programmable button Two front-access LED-buttons: WLAN and Bluetooth®
Weight and dimensions	363 (W) x 278 (D) x 24/32.9 (H) mm 3.07 kg
Quality & Reliability Tests	Temperature & humidity test Free drop test Acoustics test Weight pressure tests Spillage Test Electrostatic discharge test Shock and vibration tests MTBF (Mean Time Between Failure) test Hinge life test Keyboard-switch life test
Software	Acer Empowering Technology: • Acer eRecovery Management • Acer eSettings Management • Acer ePresentation Management Acer GridVista Acer Arcade Acer Launch Manager Norton AntiVirus™ (trial version) Adobe® Reader® NTI® CD Maker™ CyberLink PowerProducer™
Options	Additional memory expansion modules Additional Li-ion battery pack Additional AC adaptor
Certifications	DMI 2.0 ACPI Wi-Fi®
Warranty	One-year send-in with International Travellers Warranty

Beeld en waarde



Belangrijkste eigenschappen

- AMD Turion™ 64 processor with up to 512 KB L2 cache, AMD PowerNow!™ Technology, AMD HyperTransport™ Technology
- 15.4" WXGA Acer CrystalBrite™ TFT LCD, 1280 x 800 pixel resolution
- ATI RADEON® Xpress 200M integrated 3D graphics, featuring HyperMemory™ and up to 128 MB of shared system memory

Model	Artikelnummer	Prijs inc. BTW _+ VAT _	
AS5043WLMi legitieme Windows® XP Home Edition , AMD Turion™ 64 ML-32 processor (512KB L2 cache, 1.8GHz, 400MHz), 15.4TFT WXGA CrystalBrite, 1024MB RAM (2x 512), 80GB HDD, DVD Dual Double Layer, 6-cell Lilon, 56K modem, Wired & Wireless Lan 802.11b/g, no IEEE-1394, no S-video, no FIR, 128MB shared, AZB	LX.ADX05.186	EUR 799.00	

Aspire 5050

Standaardconfiguratie

Operating System	genuine Windows® XP Home Edition
Processor & Chipset	AMD Turion™ 64 Mobile Technology supporting AMD PowerNow!™ technology and AMD HyperTransport™ technology ATI Radeon® Xpress 1100 chipset
Memory	DDR2 memory, upgradeable to 4 GB using two soDIMM modules (dual-channel support)
HDD	ATA/100 hard disk drive
Storage	DVD-SuperMulti double layer drive
Display	14.1" WXGA TFT LCD, 1280 x 800 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colours
Graphics	ATI Radeon® Xpress 1100 integrated 3D graphics, with up to 128 MB of shared system memory ATI DualView™ support MPEG-2/DVD hardware-assisted capability Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies
Multimedia	High Definition audio support Two built-in Acer 3DSonic stereo speakers Sound Blaster Pro™ and MS-Sound compatible Built-in microphone
Communication	Acer InViLink™ 802.11b/g Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology 56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100 Mbps Fast Ethernet; Wake-on-LAN Ready
I/O Interfaces	3x USB 2.0 ports 1x External display (VGA) port 1x PC Card slot (Type II) 1x Modem (RJ-11) port 1x Ethernet (RJ-45) port 1x Headphones/speaker/line-out jack with S/PDIF support 1x Microphone-in jack 1x Line-in jack 1x DC-in jack for AC adapter
Security	Slot for Kensington lock BIOS, user and supervisor passwords
Power supply and battery	ACPI 2.0 CPU power management supporting Standby and Hibernation modes Li-ion battery pack (4 cell) Up to 1.5 hours battery life 2.5-hour rapid charge system-off; 3.5-hour charge-in-use 65W AC adapter
Keyboard & Special Controls	88-/89-key keyboard, inverted "T" cursor layout, 2.5 mm (minimum) key travel Touchpad with 4-way integrated scroll button 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Empowering Key, Internet, email, user-programmable button Two front-access communication LED switches: WLAN, Bluetooth®
Weight and dimensions	341 (W) x 251 (D) x 28/35 (H) mm 2.4 kg
Quality & Reliability Tests	Temperature and Humidity test Free Drop test Acoustics test Weight and Pressure test Spillage test Shock and Vibration test Electrostatic Discharge Immunity test Hinge Life test MTBF (Mean Time Between Failure) test Keyboard-switch life test
Software	Acer Empowering Technology (Acer ePower, ePresentation, eDataSecurity, eRecovery, eSettings, ePerformance Management) Acer GridVista™ Acer Launch Manager Acer Arcade™ Norton AntiVirus™ (trial version) Adobe® Reader® CyberLink PowerProducer™ or CyberLink® PowerDVD® NTI® CD-Maker™
Options	Memory expansion modules Additional battery Additional AC adapter
Warranty	1 year send-in with International Travellers Warranty

Verdubbel uw entertainment potentieel



Model	Artikelnummer	Prijs inc. BTW _+ VAT _	
AS5051AWXMi legitieme Windows® XP Home Edition , AMD Turion™ 64 MK36 processor (2.0GHz), 14.1TFT WXGA, 512MB RAM (1x 512), 60GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 4-cell Lilon, 56K modem, Wired & Wireless Lan 802.11b/g, no IEEE -1394, S-video, no FIR, 64MB shared, AZB	LX.AG305.046	EUR 599.00	

Aspire 5100

Standaardconfiguratie

Operating System	genuine Windows® XP Home Edition genuine Windows® XP Media Center Edition 2005
Processor & chipset	AMD Turion™ 64 X2 Mobile processor with AMD PowerNow!™ Technology and HyperTransport™ Technology support or AMD Mobile Turion™ 64 processor ATI Mobility RADEON® Xpress 1100 series chipset
Memory	DDR2 memory, upgradeable to 4 GB using dual soDIMM modules (dual-channel support)
HDD	ATA/100 hard disc drive
Storage	DVD-Super Multi
Display	15.4" WXGA high-brightness (200-nit) Acer CrystalBrite™ TFT LCD, 1280 x 800 pixel resolution, 16 ms response time, supporting simultaneous multi-window viewing on dual displays via Acer GridVista™ 16.7 million colours
Graphics	ATI Radeon® Xpress 1100 integrated 3D graphics with up to 128 MB of shared system memory, supporting Microsoft® DirectX® 9.0 and PCI Express® DualView™ support MPEG-2/DVD hardware-assisted capability Aspire CinemaVision™ video technology (Aspire Arcade) Aspire ClearVision™ video optimisation technology (Aspire Arcade)
Multimedia	Audio system with two built-in speakers Sound Blaster Pro™ and MS Sound compatible High-definition audio support Built-in microphone
Communication	Optional Acer OrbiCam™ integrated 0.3 megapixel CMOS camera, featuring: • 225-degree ergonomic rotation • Acer PrimaLite™ technology 56K ITU V.92 modem (with international PTT certification), Wake-on-Ring ready 10/100Mbps Fast Ethernet; Wake-on-LAN ready Integrated wireless network connection (dual-mode 802.11b/g) Wi-Fi CERTIFIED™ Acer SignalUp wireless technology support
I/O Interfaces	3 x USB 2.0 ports; 1 x external display (VGA) port; 1 x PC Card slot (one Type II); 5-in-1 card reader (SD/MS/MS-Pro/MMC/xD-Picture card™); 1 x Modem (RJ-11) port; 1 x Ethernet (RJ-45) port; 1 x speaker/ headphone/ line-out jack; 1 x microphone/ line-in jack; 1 x DC-in jack for AC adapter
Security	Kensington lock slot BIOS user and supervisor passwords
Power supply and battery	ACPI 2.0 CPU power management standard: supports Standby and Hibernation power-saving modes 44.4W 6-cell Li-ion battery pack up to 2.5-hour battery life Acer QuicCharge™ technology: • 2.5-hour rapid charge system-off • 3.5-hour charge-in-use 3-pin 65 W AC adapter
Keyboard & special controls	88-/89-key keyboard, inverted "T" cursor layout; 2.5 mm (minimum) key travel Touchpad with buttons and 4-way integrated scroll keys 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Internet browser, email with LED, Acer E-manager key, and one user-programmable button Two front-access LED-buttons: WLAN and Bluetooth®
Weight & Dimensions	358 (W) x 269 (D) x 29.8/33.8 (H) mm 2.82 kg
Quality & Reliability Tests	Temperature and Humidity test; Free Drop test; Acoustics test; Weight and Pressure tests; Spillage test; Shock and Vibration tests; Electrostatic Discharge test; MTBF (Mean Time Between Failure) test; Hinge life test; Keyboard Switch Life test
Software	Acer Empowering Technology (Acer ePower / ePresentation / eLock / eRecovery / eSettings / ePerformance Management) Acer Grid Vista Acer Launch Manager Acer Arcade Norton AntiVirus™ (trial version) Adobe® Reader® NTI CD Maker™ CyberLink® PowerProducer®
Options	Memory expansion modules Additional Li-Ion battery pack Additional AC adapter
Certifications	ACPI 2.0 Mobile PC DMI 2.0 Wi-Fi®
Warranty	1 year send-in with International Travellers Warranty (ITW)

De 64-bit mobiliteit leider



Belangrijkste eigenschappen

- AMD Turion™ 64 X2 Mobile processor with AMD PowerNow!™ Technology and HyperTransport™ Technology support or AMD Mobile Turion™ 64 processor
- 15.4" WXGA high-brightness (200-nit) Acer CrystalBrite™ TFT LCD, 1280 x 800 pixel resolution, 16 ms response time, supporting simultaneous multi-window viewing on dual displays via Acer GridVista™
- ATI Radeon® Xpress 1100 integrated 3D graphics with up to 128 MB of shared system memory, supporting Microsoft® DirectX® 9.0 and PCI Express®

Model	Artikelnummer	Prijs inc. BTW _+ VAT _	
AS5101AWLMI_512 legitieme Windows® XP Home Edition , AMD Mobile Turion™ 64 MK36 2.0GHz, 15.4TFT WXGA CrystalBrite 16ms, 512MB RAM (1x 512), 80GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Lilon, 56K modem, Wired & Wireless Lan 802.11b/g, 5-in-1 card reader, no IEEE-1394, no S- video, no FIR, ATI X1100 64MB shared, AZB	LX.ABH05.231	EUR 699.00	

Aspire 5610

Standaardconfiguratie



Operating System	genuine Windows® XP Media Center Edition 2005
Processor & Chipset	Intel® Core™ Solo or Duo processor with 2MB L2 Cache Intel® 945GM Express chipset with 533MHz FSB Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
Memory	DDR2 memory, upgradeable to 4 GB using dual soDIMM modules (dual-channel support)
HDD	5400rpm Hard Disk Drive
Storage	DVD-Super Multi Double Layer drive
Display	15.4" WXGA 200-nit Acer CrystalBrite™ high-brightness TFT LCD with 1280 x 800 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colours
Graphics	NVIDIA® GeForce® Go 7300 with 256 MB of TurboCache™ technology (64 MB of dedicated GDDR2 VRAM and 192 MB of shared system memory), supporting Microsoft® DirectX® 9.0, Shader Model 3.0, OpenEXR High Dynamic Range (HDR) technology, NVIDIA® PowerMizer™ 6.0 and PCI Express®; or Intel® 945GM integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950 and up to 224 MB of shared memory, supporting Microsoft® DirectX® 9.0 and PCI Express® DualView™ support MPEG-2/DVD hardware assisted capability Aspire CinemaVision™ technology (Acer Arcade) Aspire ClearVision™ technology (Acer Arcade)
Multimedia	Audio system with two built-in speakers S/PDIF (Sony/Philips Digital Interface) support for digital speakers Intel® High-Definition audio support Sound Blaster Pro™ and MS Sound compatible Built-in microphone
Communication	56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100Mbps Fast Ethernet; Wake-on-LAN ready Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
I/O Interfaces	4 x USB 2.0 ports ; 1 x External display (VGA) port ; 1 x PC Card slot (type II) ; 1 x Modem (RJ-11) port ; 1 x Fast Ethernet (RJ-45) port ; 1 x Speaker/ headphone/ line-out jack with S/PDIF support ; 1 x microphone-in jack; 1 x line-in jack ; 1 x DC-in jack for AC adapter
Security	Slot for Kensington lock BIOS, user and supervisor passwords
Power supply and battery	ACPI 2.0 CPU power management standard: supports Standby and Hibernation power-saving modes 44W 6-cell Li-ion battery pack 3-hour battery life for model using integrated graphics, or 2.5-hour battery life for model using NVIDIA® GeForce® Go 7300 Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use 3-pin 90W AC adapter
Keyboard & Special Controls	88-/89-key keyboard, inverted "T" cursor layout, 2.5 mm (minimum) key travel Touchpad with 4-way integrated scroll button 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Empowering Key, email, Internet, one user-programmable button Six media keys: volume up, volume down, play/pause, stop, next, previous Two front-access switches: WLAN and Bluetooth®
Weight and dimensions	358 (W) x 269 (D) x 29/36 (H) mm 2.89 kg
Quality & Reliability Tests	Temperature & humidity test ; Free drop test ; Acoustics test ; Weight and pressure test ; Shock and vibration test ; Electrostatic discharge immunity test ; MTBF (Mean Time Between Failure) test ; Hinge life test ; Keyboard-switch life test
Software	Acer Empowering Technology (eDataSecurity Management / eLock Management / ePerformance Management / eRecovery Management / eSettings Management / eNet Management / ePower Management / ePresentation Management); AcerGridVista (widescreen models only) ; Acer Launch manager; Acer Arcade; Norton AntiVirus™ (trial version) ; Adobe Acrobat® Reader™ ; CyberLink® Power Producer ; NTL® CD Maker™
Options	Memory expansion modules Additional battery pack Additional AC adapter
Certifications	DMI 2.0 ACPI 2.0 Mobile PC2002 Wi-Fi®
Warranty	1 year send-in with International Travellers Warranty

Verbreed uw Entertainment Horizon



Belangrijkste eigenschappen

- Intel® Core™ Solo or Duo processor with 2MB L2 Cache
- 15.4" WXGA 200-nit Acer CrystalBrite™ high-brightness TFT LCD with 1280 x 800 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™
- NVIDIA® GeForce® Go 7300 with 256 MB of TurboCache™ technology (64 MB of dedicated GDDR2 VRAM and 192 MB of shared system memory), supporting Microsoft® DirectX® 9.0, Shader Model 3.0, OpenEXR High Dynamic Range (HDR) technology, NVIDIA® PowerMizer™ 6.0 and PCI Express®; or
- Intel® 945GM integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950 and up to 224 MB of shared memory, supporting Microsoft® DirectX® 9.0 and PCI Express®

Model	Artikelnummer	Prijs inc. BTW_+ VAT_	
AS5610WLMi_512 legitieme Windows® XP Media Center Edition 2005 , Intel® Core™ Solo processor T1300 1.66GHz (FSB: 667MHz), 15.4TFT WXGA CrystalBrite, 512MB DDR II RAM (1x 512), 120GB HDD (5400rpm) , Super Multi DVD-RW Double Layer, 6-cell Lilon, 56K modem, Gigabit & Wireless Lan 802.11a/b/g, 128MB shared, no IEEE-1394, no S-video, no FIR, 5-in-1 card reader, 1.3MP Orbicam, AZB	LX.AFY0J.244	EUR 799.00	
AS5612WLMi_512 legitieme Windows® XP Media Center Edition 2005 , Intel® Core™ Duo processor T2300 1.66GHz (FSB: 667MHz), 15.4TFT WXGA CrystalBrite, 512MB DDR II RAM (1x 512), 80GB HDD (5400rpm) , Super Multi DVD-RW Double Layer, 6-cell Lilon, 56K modem, Gigabit & Wireless 802.11a/b/g, Intel® GMA950 128MB shared, no IEEE -1394, no S-video, no FIR, 5-in-1 card reader, AZB	LX.AY10J.001	EUR 849.00	
AS5612WLMi_1024 legitieme Windows® XP Media Center Edition 2005 , Intel® Core™ Duo processor T2300 1.66GHz (FSB: 667MHz), 15.4TFT WXGA CrystalBrite, 1024MB DDR II RAM (2x 512), 120GB HDD (5400rpm) , Super Multi DVD-RW Double Layer, 6-cell Lilon, 56K modem, Gigabit & Wireless Lan 802.11a/b/g, Intel® GMA950 128MB shared, no IEEE-1394, no S-video, no FIR, 5-in-1 card reader, 1.3MP Orbicam, AZB	LX.AFY0J.153	EUR 949.00	

Aspire 5630

Standaardconfiguratie

Operating System	genuine Windows® XP Media Center Edition 2005
Processor & Chipset	Intel® Centrino® Duo mobile technology, featuring: Intel® Core™ 2 Duo processor with up to 2MB L2 Cache Mobile Intel® 945PM Express chipset
Memory	Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
HDD	DDR2 memory, upgradeable to 4 GB using dual soDIMM modules (dual-channel support)
Storage	ATA/100 Hard Disk Drive DVD-Super Multi Double Layer drive
Display	5-in-1 card reader, supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD) 15.4" WXGA high-brightness Acer CrystalBrite™ TFT LCD, 1280 x 800 pixel resolution, 16 ms response time, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colours
Graphics	Mobile Intel® 945GM Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950, up to 224 MB of shared system memory, supporting Microsoft® DirectX® 9.0 and PCI Express® DualView™ support MPEG-2/DVD hardware assisted capability Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies
Multimedia	Intel® High Definition audio support Two built-in Acer 3DSonic stereo speakers Sound Blaster Pro™ and MS Sound compatible Built-in microphone
Communication	Acer OrbiCam™ integrated 1.3 megapixel CMOS camera, featuring: • 225° ergonomic rotation • Acer VisageON™ technology • Acer PrimaLite™ technology (factory option) 56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100 Mbps Fast Ethernet; Wake-on-LAN ready Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
I/O Interfaces	5-in-1 card reader (SD, MMC, MS, MS PRO, xD); 4 x USB 2.0 ports; 1 x External display (VGA) port; 1 x PC Card slot (type II); 1 x Modem (RJ-11) port; 1 x Fast Ethernet (RJ-45) port; 1 x Headphones/speaker/line-out jack; 1 x microphone-in jack; 1 x line-in jack; 1 x DC-in jack for AC adapter
Security	Slot for Kensington lock BIOS, user and supervisor passwords
Power supply and battery	ACPI 2.0 CPU power management standard: supports Standby and Hibernation power-saving modes 44W 6-cell Li-ion battery pack up to 2.5-hour battery life with 6-cell battery and Mobile Intel® 945GM integrated 3D graphics Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use 3-pin 90W AC adapter
Keyboard & Special Controls	88-/89-key keyboard, inverted "T" cursor layout, 2.5 mm (minimum) key travel Touchpad with 4-way integrated scroll button 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Empowering Key, email, Internet, one user-programmable button Two front-access switches: WLAN and Bluetooth®
Weight and dimensions	358 (W) x 265 (D) x 29.33/36 (H) mm 2.77 kg
Quality & Reliability Tests	Temperature & humidity test; Free drop test; Acoustics test; Weight and pressure test; Shock and vibration test; Electrostatic discharge immunity test; MTBF (Mean Time Between Failure) test; Hinge life test; Keyboard-switch life test
Software	Acer Empowering Technology (Acer eNet, ePower, ePresentation, eDataSecurity, eLock, eRecovery, eSettings, ePerformance Management) Acer GridVista™ Acer Launch manager Acer Arcade Norton AntiVirus™ (trial version) Adobe Reader™ CyberLink® Power Producer or CyberLink® PowerDVD NTI® CD Maker™
Options	Memory expansion modules Additional battery pack Additional AC adapter
Warranty	1 year send-in with International Travellers Warranty

Een uitbreiding van uw entertainment horizon



Belangrijkste eigenschappen

- Intel® Core™ 2 Duo processor with up to 2MB L2 Cache
- 15.4" WXGA high-brightness Acer CrystalBrite™ TFT LCD, 1280 x 800 pixel resolution, 16 ms response time, supporting simultaneous multi-window viewing via Acer GridVista™
- Mobile Intel® 945GM Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) 950, up to 224 MB of shared system memory, supporting Microsoft® DirectX® 9.0 and PCI Express®

Model	Artikelnummer	Prijs inc. BTW _+ VAT _	
AS5633WLMi_512 legitieme Windows® XP Media Center Edition 2005 , Intel® Core™ 2 Duo processor T5500 1.66GHz (FSB: 667MHz), 15.4TFT WXGA CrystalBrite, 512MB DDR II RAM (1x 512), 120GB HDD (5400rpm) , Super Multi DVD-RW Double Layer, 6-cell Lilon, 56K modem, Wired & Wireless 802.11a/b/g, 128MB shared, no IEEE-1394, no S-video, no FIR, 5-in-1 card reader, 1.3MP Orbicam, AZB	LX.AU30J.081	EUR 949.00	

Aspire 5670

Standaardconfiguratie

Operating System	genuine Windows® XP Home Edition
Processor & Chipset	Intel® Centrino® Duo mobile technology, featuring: Intel® Core™ Duo processor with 2MB L2 Cache Intel® 945PM Express chipset with 667MHz FSB
Memory	Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
HDD	DDR2 memory, upgradeable to 2 GB using dual soDIMM modules (dual-channel support)
Storage	SATA (5400rpm) Hard Disk Drive
Display	Slot-in DVD-Super Multi Double Layer drive 15.4" WXGA Acer CrystalBrite colour TFT LCD with 1280 x 800 pixel resolution 16ms response time 16.7 million colours Supporting simultaneous multi-window viewing via Acer GridVista
Graphics	ATI Mobility™ Radeon® X1600 128/512 MB HyperMemory™, supporting ATI PowerPlay™ 5.0, Microsoft® DirectX® 9.0 and PCI Express® S-video / TV-out (NTSC/PAL) support DualView™ support MPEG-2/DVD hardware assisted capability Aspire CinemaVision™ video technology (Acer Arcade) Aspire ClearVision™ video optimisation
Multimedia	Audio system with two built-in speakers S/PDIF (Sony/Philips Digital Interface) support for digital speakers Intel® High-Definition audio support Sound Blaster Pro™ and MS Sound compatible Built-in microphone
Communication	Acer Video Conference featuring Voice and Video over Internet Protocol (VoIP) support via Acer OrbiCam Acer OrbiCam integrated 1.3 megapixel CMOS camera featuring: • 225-degree ergonomic rotation • Acer VisageOn technology • Acer PrimaLite technology 56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100/1000Mbps Gigabit Ethernet; Wake-on-LAN ready Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
I/O Interfaces	4 x USB 2.0 ports ; 1 x Fast infrared (FIR) port ; 1 x External display (VGA) port ; 1 x ExpressCard™/34 slot ; 1 x PC Card slot (type II) ; 5-in-1 card reader (SD/MMC/MS/MS PRO/xD) ; 1 x S-video/TV-out (NTSC/PAL) port ; 1 x DVI-D port ; 1 x IEEE 1394 port ; 1 x Modem (RJ-11) port ; 1 x Gigabit Ethernet (RJ-45) port ; 1 x Speaker/headphone/ line-out jack with S/PDIF support ; 1 x microphone-in jack ; 1 x line-in jack ; 1 x DC-in jack for AC adapter
Security	Slot for Kensington lock BIOS, user and supervisor passwords
Power supply and battery	ACPI 2.0 CPU power management standard: supports Standby and Hibernation power-saving modes 71W 8-cell Li-ion battery pack Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use • 3.5-hour battery life 3-pin 90W AC adapter
Keyboard & Special Controls	88-/89-key keyboard, inverted "T" cursor layout, 2.5 mm (minimum) key travel Touchpad with 4-way integrated scroll button 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Empowering Key, email, Internet, one user-programmable button Two front-access switches: WLAN and Bluetooth®
Weight and dimensions	364 (W) x 274.75 (D) x 28/36.3 (H) mm (14.33 x 10.82 x 1.10/1.43 inches) 2.95 kg* (6.50 lbs.) for 15.4" WXGA LCD model (*actual weight may differ, depending on configuration)
Quality & Reliability Tests	Temperature & humidity test ; Free drop test ; Acoustics test ; Weight and pressure test ; Shock and vibration test ; Electrostatic discharge immunity test ; MTBF (Mean Time Between Failure) test ; Hinge life test ; Keyboard-switch life test
Software	Acer Empowering Technology (eDataSecurity Management / eLock Management / ePerformance Management / eRecovery Management / eSettings Management / eNet Management / ePower Management / ePresentation Management); AcerGridVista ; Acer Launch manager; Acer Arcade; Norton AntiVirus™ ; Adobe Acrobat® Reader™ ; CyberLink® PowerDVD™ ; NTI® CD Maker™
Options	Memory expansion modules Additional battery pack Additional AC adapter
Certifications	DMI 2.0 ACPI 2.0 Mobile PC2002 Wi-Fi® Cisco Compatible Extensions (CCX)
Warranty	1 year send-in with International Travellers Warranty

Een Nieuwe Kijk op Mobiel Entertainment



Belangrijkste eigenschappen

- Intel® Core™ Duo processor with 2MB L2 Cache
- 15.4" WXGA Acer CrystalBrite colour TFT LCD with 1280 x 800 pixel resolution
- ATI Mobility™ Radeon® X1600 128/512 MB HyperMemory™, supporting ATI PowerPlay™ 5.0, Microsoft® DirectX® 9.0 and PCI Express®

Model	Artikelnummer	Prijs inc. BTW_+ VAT_	
AS5672WLMi_1024 legitieme Windows® XP Media Center Edition 2005 , Intel® Core™ Duo processor T2300 1.66GHz (FSB: 667MHz), 15.4TFT WXGA 16ms CrystalBrite, 1024MB DDR II RAM (2x512), 120GB HDD (5400rpm S-ATA), Super Multi DVD-RW Double Layer (slot), 8-cell Lilon, 56K modem, Wired & Wireless Lan 802.11a/b/g, ATI X1600 128MB/512MB HM, DVI, 1.3MP Camera, 5-in-1 card reader, AZB	LX.ATD0J.013	EUR 1149.00	✘
AS5672WLMib_2048 legitieme Windows® XP Media Center Edition 2005 , Intel® Core™ Duo processor T2300 1.66GHz (FSB: 667MHz), 15.4TFT WXGA 16ms CrystalBrite, 2048MB DDR II RAM (2x1024), 120GB HDD (5400rpm S-ATA), Super Multi DVD-RW Double Layer (slot), 8-cell Lilon, 56K modem, Wired & Wireless Lan 802.11a/b/g, ATI X1600 128MB/512MB HM, BT, DVI, 1.3MP Camera, 5-in-1 card reader, AZB	LX.ATD0J.016	EUR 1299.00	✘

Aspire 5680

Standaardconfiguratie

Operating System	genuine Windows® XP Media Center Edition 2005
Processor & Chipset	Intel® Centrino® Duo mobile technology, featuring: Intel® Core™ 2 Duo processor with up to 2MB L2 Cache Intel® 945PM Express chipset Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
Memory	DDR2 memory, upgradeable to 4 GB using dual soDIMM modules (dual-channel support)
HDD	S-ATA (5400rpm) Hard Disk Drive
Storage	Slot-in DVD-Super Multi Double Layer drive 5-in-1 card reader, supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD)
Display	15.4" WXGA high-brightness (200-nit) Acer CrystalBrite™ TFT LCD, 1280 x 800 pixel resolution, 16 ms response time, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colours
Graphics	NVIDIA® GeForce® Go 7600-SE with 128/256 MB of external GDDR2 VRAM, supporting NVIDIA® PureVideo™ technology (WMV HD, High-Definition MPEG-2 Hardware Acceleration), Microsoft® DirectX® 9.0, Shader Model 3.0, OpenEXR High Dynamic Range (HDR) technology, NVIDIA® PowerMizer® 6.0, PCI Express® DVI-D (true digital video interface) with HDCP (High-bandwidth Digital Content Protection) support S-video / TV-out (NTSC/PAL) support DualView™ support MPEG-2/DVD hardware assisted capability Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies
Multimedia	Intel® High-Definition audio support S/PDIF (Sony/Philips Digital Interface) support for digital speakers Two built-in Acer 3DSonic stereo speakers Sound Blaster Pro™ and MS Sound compatible Built-in microphone
Communication	Acer OrbiCam™ integrated 1.3 megapixel CMOS camera, featuring: • 225° ergonomic rotation • Acer VisageON™ technology • Acer Primalite™ technology 56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100/1000Mbps Gigabit Ethernet; Wake-on-LAN ready Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology Bluetooth® 2.0+EDR (Enhanced Data Rate) (manufacturing) option
I/O Interfaces	4 x USB 2.0 ports; 1 x Fast infrared (FIR) port; 1 x External display (VGA) port; 1 x ExpressCard™/34 slot; 1 x PC Card slot (type II); 5-in-1 card reader (SD/MMC/MS/MS PRO/xD); 1 x S-video/TV-out (NTSC/PAL) port; 1 x DVI-D port with HDCP support; 1 x IEEE 1394 port; 1 x Modem (RJ-11) port; 1 x Ethernet (RJ-45) port; 1 x Speaker/headphone/line-out jack with S/PDIF support; 1 x microphone-in jack; 1 x line-in jack; 1 x DC-in jack for AC adapter
Security	Slot for Kensington lock BIOS, user and supervisor passwords
Power supply and battery	ACPI 2.0 CPU power management standard: supports Standby and Hibernation power-saving modes 71W 8-cell Li-ion battery pack up to 3.5-hour battery life Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use 3-pin 90W AC adapter
Keyboard & Special Controls	88-/89-key keyboard, inverted "T" cursor layout, 2.5 mm (minimum) key travel Touchpad with 4-way integrated scroll button 12 function keys; four cursor keys; two Windows® keys; hotkey controls; embedded numeric keypad; international language support Four easy-launch buttons: Empowering Key, email, Internet, one user-programmable button Six/seven media keys: TV (on specific model), volume up, volume down, play/pause, stop, next, previous Two front-access switches: WLAN and Bluetooth® Acer remote controls: • Acer Arcade (48 keys) • Windows® Media Center Edition (uses an external USB CIR receiver)
Weight and dimensions	358 (W) x 265 (D) x 36 (H) mm 2.77 kg
Quality & Reliability Tests	Temperature & humidity test; Free drop test; Acoustics test; Weight and pressure test; Spillage test; Shock and vibration test; Electrostatic discharge immunity test; MTBF (Mean Time Between Failure) test; Hinge life test; Keyboard-switch life test
Software	Acer Empowering Technology (Acer eNet, ePower, ePresentation, eDataSecurity, eLock, eRecovery, eSettings, ePerformance Management) Acer GridVista™ Acer Launch manager Acer Arcade Norton AntiVirus™ (trial version) Adobe Reader™ CyberLink® Power Producer or CyberLink® PowerDVD NTI® CD Maker™

64-Bit Dual-Core voor uw digitale wereld



Belangrijkste eigenschappen

- Intel® Core™ 2 Duo processor with up to 2MB L2 Cache
- 15.4" WXGA high-brightness (200-nit) Acer CrystalBrite™ TFT LCD, 1280 x 800 pixel resolution, 16 ms response time, supporting simultaneous multi-window viewing via Acer GridVista™
- NVIDIA® GeForce® Go 7600-SE with 128/256 MB of external GDDR2 VRAM, supporting NVIDIA® PureVideo™ technology (WMV HD, High-Definition MPEG-2 Hardware Acceleration), Microsoft® DirectX® 9.0, Shader Model 3.0, OpenEXR High Dynamic Range (HDR) technology, NVIDIA® PowerMizer® 6.0, PCI Express®

Options	Memory expansion modules
	Additional battery pack
	Additional AC adapter
Warranty	1 year send-in with International Travellers Warranty

Model	Artikelnummer	Prijs inc. BTW _+ VAT _	
AS5684WLMib legitieme Windows® XP Media Center Edition 2005 , Intel® Core™ 2 Duo processor T5600 1.83GHz (FSB: 667MHz), 15.4TFT WXGA 16ms CrystalBrite, 2048MB DDR II RAM (2x 1024), 120GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 8-cell Lilon, 56K modem, Wired & Wireless Lan 802.11a/b/g, GeForce Go 7600 256MB, DVI, 5-in-1 card reader, 1.3MP Orbicam, AZB	LX.AV60J.002	EUR 1499.00	

Aspire 7110

Standaardconfiguratie

Operating System	legitieme Windows® XP Home Edition
	legitieme Windows® XP Professional
Processor & Chipset	Intel® Celeron® M Processor with 1MB L2 cache
	Intel® 940GML Express chipset
	Integrated Intel® PRO/Wireless 2200BG network connection
Memory	DDR2 memory, upgradeable to 2 GB using dual soDIMM modules
HDD	ATA/100 hard disc drive
Storage	DVD-Super Multi Double Layer drive
	5-in-1 card reader, supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD)
Display	17.1" WXGA+ 200-nit high-brightness Acer CrystalBrite™ color TFT LCD with 1440 x 900 pixel resolution
	16.7 million colours
	Supporting simultaneous multi-window viewing via Acer GridVista
Graphics	Mobile Intel® 940GML chipset with integrated 3D graphics featuring Intel® Graphics Media Accelerator 950 and up to 224 MB of shared memory, supporting Microsoft® DirectX® 9.0 and PCI Express®
	DualView™ support
	MPEG-2/DVD hardware-assisted capability
	Aspire CinemaVision™ video technology (Aspire Arcade)
	Aspire ClearVision™ video optimization technology (Aspire Arcade)
Multimedia	Audio system with two built-in speakers
	S/PDIF (Sony/Philips Digital Interface) support for digital speakers
	Intel® high-definition audio support
	Sound Blaster Pro™ and MS Sound compatible
	Built-in microphone
Communication	Acer Video Conference featuring Voice and Video over Internet Protocol (VoIP) support via Acer OrbiCam and optional Acer Bluetooth® VoIP phone
	Acer OrbiCam™ integrated 0.3 megapixel CMOS camera featuring: • 225-degree ergonomic rotation • Acer Primalite technology
	56K ITU V.92 modem with PTT approval; Wake-on-Ring ready
	10/100/1000Mbps Gigabit Ethernet; Wake-on-LAN ready
	Acer InviLink™ 802.11b/g Wi-Fi® CERTIFIED™ solution supporting Acer SignalUp wireless technology
I/O Interface	4 x USB 2.0 ports ; 1x external display (VGA) port ; 1x PC Card slot (Type II) ; 5-in-1 card reader (SD/MMC/MS/MS PRO/xD) ; 1x Modem (RJ-11) port ; 1x Ethernet (RJ-45) port ; 1x speaker/headphone/ line-out jack with S/PDIF support ; 1x microphone jack ; 1x line-in jack; 1x DC-in jack for AC adapter
Security	Slot for Kensington lock
	BIOS user and supervisor passwords
Power Supply & Battery	ACPI 2.0 CPU power management supporting Standby and Hibernation modes
	44W 6-cell Li-ion battery pack
	Up to 2.5-hour battery life
	Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use
	90 W AC adapter
Keyboard & Special Controls	105/106-key keyboard, inverted "T" cursor layout, 2.5 mm (minimum) key travel
	Touchpad with 4-way integrated scroll button
	12 function keys; four cursor keys; two Windows® keys; hotkey controls; standard numeric keypad; international language support
	Four easy-launch buttons: Internet, email, Empowering Key, one user-programmable button
	Two front-access LED-buttons: WLAN, Bluetooth®
Weight & Dimensions	400 (W) x 295 (D) x 31.4/39.9 (H) mm
	3.68 kg
Quality & Reliability Tests	Temperature & humidity test ; Free drop test ; Acoustics test ; Weight and Pressure tests ; Spillage test ; Shock and Vibration tests ; Electrostatic discharge immunity test ; MTBF (Mean Time Between Failure) test ; Hinge life test ; Keyboard-switch life test
Software	Acer Empowering Technology (eLock Management / ePerformance Management / eRecovery Management / eSettings Management / ePower Management / ePresentation Management) ; Acer GridVista™ ; Acer Launch Manager; Acer Arcade™ ; Norton AntiVirus™ ; Adobe® Reader® ; CyberLink® Power Producer; NTI CD Maker™
Options	Memory expansion modules
	Additional battery
	Additional AC adapter
Warranty	One-year send-in International Traveller's Warranty (ITW)

Efficiënt Entertainment



Belangrijkste eigenschappen

- Intel® Celeron® M Processor with 1MB L2 cache
- 17.1" WXGA+ 200-nit high-brightness Acer CrystalBrite™ color TFT LCD with 1440 x 900 pixel resolution
- Mobile Intel® 940GML chipset with integrated 3D graphics featuring Intel® Graphics Media Accelerator 950 and up to 224 MB of shared memory, supporting Microsoft® DirectX® 9.0 and PCI Express®
- Acer OrbiCam™ integrated 0.3 megapixel CMOS camera featuring: • 225-degree ergonomic rotation • Acer Primalite technology

Model	Artikelnummer	Prijs inc. BTW + VAT	
AS7112WSMI legitieme Windows® XP Media Center Edition 2005 , Intel® Mobile Celeron® processor 420 (1.6GHz/1MB cache), 17TFT WXGA+ CrystalBrite, 1024MB DDR II RAM (2x 512), 80GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Lilon, 56K modem, Gigabit & Wireless Lan 802.11b/g, 128MB shared, 0.3MP Orbicam, 5-in-1 card reader, AZB	LX.ADJ0J.078	EUR 899.00	

Aspire 9410**Standaardconfiguratie**

Operating System	genuine Windows® XP Home Edition
Processor & Chipset	Intel® Centrino® Duo mobile technology, featuring: Intel® Core™ Duo processor with 2 MB L2 Cache Mobile Intel® 945PM Express chipset Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
Memory	DDR2 memory, upgradeable to 4 GB using dual soDIMM modules
HDD	ATA/100 hard disc drive
Storage	DVD-Super Multi double-layer drive 5-in-1 card reader, supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD)
Display	17.1" WXGA+ high-brightness (200 nit) Acer CrystalBrite™ TFT LCD, 1440 x 900 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colours
Graphics	NVIDIA® GeForce® Go 7300 with up to 256 MB TurboCache™ (128 MB of dedicated GDDR2 VRAM, up to 128 MB of shared system memory), supporting Microsoft® DirectX® 9.0, Shader Model 3.0, OpenEXR High Dynamic Range (HDR) technology, NVIDIA® PowerMizer® 6.0, PCI Express® DualView™ support MPEG-2/DVD hardware-assisted capability Aspire CinemaVision™ video technology (Aspire Arcade) Aspire ClearVision™ video optimization technology (Aspire Arcade)
Multimedia	Intel® high-definition audio support S/PDIF (Sony/Philips Digital Interface) support for digital speakers Audio system with two built-in speakers Sound Blaster Pro™ and MS Sound compatible Built-in microphone
Communication	Acer Video Conference featuring Voice and Video over Internet Protocol (VVoIP) support via Acer OrbiCam™ and optional Acer Bluetooth® VoIP phone Acer OrbiCam™ integrated 1.3 megapixel CMOS camera, featuring: • 225 degree ergonomic rotation • Acer VisageON™ technology • Acer PrimaLite™ technology Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology 56K ITU V.92 modem with PTT approval; Wake-on-Ring ready 10/100/1000Mbps Gigabit Ethernet; Wake-on-LAN ready
I/O Interface	4x USB 2.0 ports ; 1x external display (VGA) port ; 1x PC Card slot (Type II) ; 5-in-1 card reader (SD/MMC/MS/MS PRO/xD) ; 1x Modem (RJ-11) port ; 1x Ethernet (RJ-45) port ; 1x speaker/headphone/ line-out jack with S/PDIF support ; 1x microphone jack ; 1x line-in jack ; 1x DC-in jack for AC adapter
Security	Slot for Kensington lock BIOS user and supervisor passwords
Power Supply & Battery	ACPI 2.0 CPU power management standard: supports Standby and Hibernation power-saving modes 44 W (6-cell) Li-ion battery pack Up to 2-hour battery life with 6 cell battery Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use 90 W AC adapter
Keyboard & Special Controls	105-/106-key keyboard, inverted "T" cursor layout, 2.5 mm (minimum) key travel Touchpad with 4-way integrated scroll button 12 function keys; four cursor keys; two Windows® keys; hotkey controls; standard numeric keypad; international language support Four easy-launch buttons: Internet, email, Empowering Key, one user-programmable button Two communication buttons: WLAN, Bluetooth®
Weight & Dimensions	400 (W) x 295 (D) x 31.4/39.9 (H) mm 3.68 kg with 6-cell battery pack
Quality & Reliability Tests	Temperature & humidity test ; Free drop test ; Acoustics test ; Weight and Pressure tests ; Spillage test ; Shock and Vibration tests ; Electrostatic discharge immunity test ; MTBF (Mean Time Between Failure) test ; Hinge life test ; Keyboard-switch life test
Software	Acer Empowering Technology (Acer eNet / ePower / ePresentation / eDataSecurity / eLock / eRecovery / eSettings / ePerformance Management); Acer GridVista™; Acer Launch Manager; Acer Arcade™; Norton AntiVirus™; Adobe® Reader®; CyberLink® Power Producer; NTI CD Maker™
Options	Memory expansion modules Additional battery Additional AC adapter
Warranty	One-year send-in International Traveller's Warranty (ITW)

**Uitbreiding voor uw
Entertainmentpotentieel****Belangrijkste eigenschappen**

- Intel® Core™ Duo processor with 2 MB L2 Cache
- 17.1" WXGA+ high-brightness (200 nit) Acer CrystalBrite™ TFT LCD, 1440 x 900 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™
- NVIDIA® GeForce® Go 7300 with up to 256 MB TurboCache™ (128 MB of dedicated GDDR2 VRAM, up to 128 MB of shared system memory), supporting Microsoft® DirectX® 9.0, Shader Model 3.0, OpenEXR High Dynamic Range (HDR) technology, NVIDIA® PowerMizer® 6.0, PCI Express®

Model	Artikelnummer	Prijs inc. BTW _+ VAT _	
AS9410AWSMi legitieme Windows® XP Media Center Edition 2005 , Intel® Core™ Solo processor T1350 1.86GHz (FSB: 533MHz), 17TFT WXGA+ CrystalBrite, 1024MB DDR II RAM (2x 512), 120GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Lilon, 56K modem, Gigabit & Wireless Lan 802.11a/b/g, 128MB shared, S/PDIF, no IEEE-1394, no S-video, no FIR, 5-in-1 card reader, 1.3MP Orbicam, AZB	LX.ADH0J.017	EUR 999.00	
AS9412WSMi_512 legitieme Windows® XP Media Center Edition 2005 , Intel® Core™ Duo processor T2300 1.66GHz (FSB: 667MHz), 17TFT WXGA+ CrystalBrite, 512MB DDR II RAM (1x 512), 120GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Lilon, 56K modem, Gigabit & Wireless Lan 802.11a/b/g, Nvidia GeForce 7300 128MB/256MB TC, S/PDIF, no IEEE-1394, no S-video, no FIR, 5-in-1 card reader, 1.3MP Orbicam, AZB	LX.ADF0J.074	EUR 1099.00	✘
AS9412WSMi_1024 legitieme Windows® XP Media Center Edition 2005 , Intel® Core™ Duo processor T2300 1.66GHz (FSB: 667MHz), 17" WXGA+ CrystalBrite, 1024MB DDRII RAM (2x 512), 120GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Lilon, 56K modem, Gigabit Lan & Wireless 802.11a/b/g, 128MB Nvidia GeForce 7300, SPDif, NO IEEE 1394, NO S-video, NO FIR, 5-in-1 card reader, 1.3MP Orbicam, AZB	LX.ADF0J.012	EUR 1199.00	✘
AS9412WSMi_2048 legitieme Windows® XP Media Center Edition 2005 , Intel® Core™ Duo processor T2300 1.66GHz (FSB: 667MHz), 17" WXGA+ CrystalBrite, 2048MB DDRII RAM (2x 1024), 120GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Lilon, 56K modem, Gigabit Lan & Wireless 802.11a/b/g, 128MB Nvidia GeForce 7300, SPDif, BT, NO IEEE 1394, NO S-video, NO FIR, 5-in-1 card reader, 1.3MP Orbicam, AZB	LX.ADF0J.015	EUR 1399.00	✘

Aspire 9800

Standaardconfiguratie

Operating System	genuine Windows® XP Home Edition
Processor & Chipset	Intel® Centrino® Duo mobile technology, featuring: Intel® Core™ Duo processor (2 MB L2 cache) Mobile Intel® 945PM Express chipset
Memory	Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
HDD	DDR2 533MHz/667MHz memory, upgradeable to 4 GB using dual soDIMM modules (dual channel support)
Storage	One Serial ATA hard disk drive
Display	Slot-load DVD-Dual double-layer drive 5-in-1 card reader, supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD)
Graphics	20.1" WSXGA+ high-brightness (200 nit) Acer CrystalBrite™ TFT LCD, 1680 x 1050 pixel resolution, 6 lamps 16.7 million colours 16:10 viewing ratio, 16ms response time Simultaneous multi-window viewing via Acer GridVista™ supported
Multimedia	NVIDIA® GeForce® Go 7600 with 256 MB of external GDDR2 VRAM or GeForce® Go 7300 with up to 256 MB TurboCache™ (128 MB of dedicated GDDR2 VRAM, up to 128 MB of shared system memory) supporting NVIDIA® PureVideo™ technology (WMV HD, High-Definition MPEG-2 Hardware Acceleration, integrated HDTV encoder) dual-link DVI, Microsoft® DirectX® 9.0, Shader Model 3.0, OpenEXR High Dynamic Range (HDR) technology, NVIDIA® PowerMizer® 6.0 and PCI Express® DualView™ support MPEG-2/DVD hardware-assisted capability S-video/TV-out (NTSC/PAL) support DVI-D (true digital video interface) with HDCP (High-bandwidth Digital Content Protection) support Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies
Communication	Digital and analog hybrid TV-tuner supporting hardware MPEG-2 stream encoding Acer DVB-T antenna (UHF/VHF reception) supporting Acer SignalUp™ technology Audio system with two built-in Acer 3DSonic (1.5 W) stereo speakers and one Acer BasSonic subwoofer Intel® high-definition audio support S/PDIF (Sony/Philips Digital Interface) support for digital speakers Dolby® Digital Live and DTS Neo: PC support Sound Blaster Pro™ and MS Sound compatible Two built-in stereo microphones
I/O Interface	Acer Video Conference featuring Voice and Video over Internet Protocol (VVoIP) support via Acer OrbiCam™ and optional Acer Bluetooth® VoIP phone Acer OrbiCam™ integrated 1.3 megapixel CMOS camera, featuring: • 30-degree ergonomic rotation • Acer VisageON™ technology • Acer PrimaLite™ technology WLAN: Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology WPAN: Bluetooth® 2.0+EDR (Enhanced Data Rate) LAN: gigabit Ethernet; Wake-on-LAN ready Modem: 56K ITU V.92 with PTT approval; Wake-on-Ring ready
Security	1x ExpressCard™/54 slot; 1x PC Card slot (Type II); 5-in-1 card reader (SD/MMC/MS/MS PRO/xD); 4x USB 2.0 ports; 1x DVI-D port with HDCP support; 1x IEEE 1394 port; 1x Consumer Infrared (CIR) port; 1x Fast Infrared (FIR) port; 1x external display (VGA) port; 1x S-video/ TV-out (NTSC/PAL) port; 1x AV-in port; 1x TV-tuner antenna-in port; 1x speaker/ headphone/ line-out jack with S/PDIF support; 1x microphone-in jack; 1x line-in jack; 1x Parallel port; 1x Serial port; 1x Modem (RJ-11) port; 1x Ethernet (RJ-45) port; 1x DC-in jack for AC adapter
Power Supply & Battery	Slot for Kensington lock BIOS user and supervisor passwords
Keyboard & Special Controls	ACPI 2.0 CPU power management supporting Standby and Hibernation modes 71 W 4800 mAh Li-ion battery pack (8-cell) 1.5-hour battery life with TV-tuner Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use 3-pin 135 W AC adapter (811 g with power cord)
Weight & Dimensions	105/106-key keyboard, with inverted "T" cursor layout, 2.5 mm (minimum) key travel Touchpad with 4-way scroll button 12 function keys, four cursor keys, two Windows® keys, hotkey controls, standard numeric keypad, international language support, international language support Four easy-launch buttons: Empowering Key, email, Internet, user-programmable button Two front-access communication LED switches: WLAN, Bluetooth® Seven media keys: Acer Arcade™, volume up, volume down, previous, next, play/pause, stop Four front-panel LED indicators: power, battery, WLAN, Bluetooth® Acer remote controls (depending on the model): • Acer Arcade™ (48 keys) • Windows® XP Media Center Edition (uses an external USB CIR receiver)
	475 (W) x 352 (D) x 61.8 (H) mm 7.8 kg

De Ultieme Entertainment Ervaring



Belangrijkste eigenschappen

- Intel® Core™ Duo processor (2 MB L2 cache)
- 20.1" WSXGA+ high-brightness (200 nit) Acer CrystalBrite™ TFT LCD, 1680 x 1050 pixel resolution, 6 lamps
- NVIDIA® GeForce® Go 7600 with 256 MB of external GDDR2 VRAM or GeForce® Go 7300 with up to 256 MB TurboCache™ (128 MB of dedicated GDDR2 VRAM, up to 128 MB of shared system memory) supporting NVIDIA® PureVideo™ technology (WMV HD, High-Definition MPEG-2 Hardware Acceleration, integrated HDTV encoder) dual-link DVI, Microsoft® DirectX® 9.0, Shader Model 3.0, OpenEXR High Dynamic Range (HDR) technology, NVIDIA® PowerMizer® 6.0 and PCI Express®

Quality & Reliability Tests	Temperature & humidity test ; Free drop test ; Acoustics test ; Weight and Pressure tests ; Spillage test ; Shock and Vibration tests ; Electrostatic discharge immunity test ; MTBF (Mean Time Between Failure) test ; Hinge life test ; Keyboard-switch life test
Software	Acer Empowering Technology (Acer eNet / ePower / ePresentation / eDataSecurity / eLock / eRecovery / eSettings / ePerformance Management); Acer GridVista™; Acer Arcade™; Acer Launch Manager; Norton AntiVirus™; Adobe® Reader®; CyberLink® PowerProducer™; NTI CD Maker™
Options	Memory expansion modules Additional battery Additional AC adapter
Warranty	One-year send-in International Traveller's Warranty (ITW)

Model	Artikelnummer	Prijs inc. BTW _+ VAT _	
AS9802WKMib legitieme Windows® XP Media Center Edition 2005 , Intel® Core™ Duo processor T2300 1.66GHz (FSB: 667MHz), 20"WSXGA+ CrystalBrite, 2048MB DDRII RAM (2x 1024), 120GB HDD (5400rpm S-ATA), Super Multi DVD-RW Double Layer (slot), 8-cell Lilon, 56K modem, Gigabit Lan & Wireless 802.11a/b/g, BT, 256MB Nvidia GeForce 7600, SPDif, IEEE 1394, S-video, FIR, 5-in-1 card reader, TV Tuner, 1.3MP Orbicam, AZB	LX.AAM0J.053	EUR 1749.00	<input checked="" type="checkbox"/>

Aspire 9810

Standaardconfiguratie

Operating System	genuine Windows® XP Media Center Edition 2005
Processor & Chipset	Intel® Centrino® Duo mobile technology, featuring: Intel® Core™ 2 Duo processor with up to 2 MB L2 cache Mobile Intel® 945PM Express chipset Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
Memory	DDR2 667MHz memory, upgradeable to 4 GB using dual soDIMM modules (dual channel support)
HDD	Serial ATA hard disk drive
Storage	Slot-load DVD-Dual double-layer drive 5-in-1 card reader, supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD)
Display	20.1" WSXGA+ high-brightness (200 nit) Acer CrystalBrite™ TFT LCD, 1680 x 1050 pixel resolution, 6 lamps 16.7 million colours 16:10 viewing ratio, 16ms response time Simultaneous multi-window viewing via Acer GridVista™ supported
Graphics	NVIDIA® GeForce® Go 7600 with 256 MB of external GDDR2 VRAM supporting NVIDIA® PureVideo™ technology (WMV HD, High-Definition MPEG-2 Hardware Acceleration, integrated HDTV encoder) dual-link DVI, Microsoft® DirectX® 9.0, Shader Model 3.0, OpenEXR High Dynamic Range (HDR) technology, NVIDIA® PowerMizer® 6.0 and PCI Express® DualView™ support MPEG-2/DVD hardware-assisted capability S-video/TV-out (NTSC/PAL) support DVI-D (true digital video interface) with HDCP (High-bandwidth Digital Content Protection) support Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies
Multimedia	Digital and analog hybrid TV-tuner supporting hardware MPEG-2 stream encoding Acer DVB-T antenna (UHF/VHF reception) supporting Acer SignalUp™ technology Audio system with two built-in Acer 3DSonic (1.5 W) stereo speakers and one Acer BasSonic subwoofer Intel® high-definition audio support S/PDIF (Sony/Philips Digital Interface) support for digital speakers Dolby® Digital Live support DTS CONNECT™ support featuring DTS INTERACTIVE™ and DTS NEO:PC™ technologies Sound Blaster Pro™ and MS Sound compatible Two built-in stereo microphones
Communication	Acer Video Conference featuring Voice and Video over Internet Protocol (VoIP) support via Acer OrbiCam™ and optional Acer Bluetooth® VoIP phone Acer OrbiCam™ integrated 1.3 megapixel CMOS camera, featuring: • 30-degree ergonomic rotation • Acer VisageON™ technology • Acer PrimaLite™ technology WLAN: Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology WPAN: Bluetooth® 2.0+EDR (Enhanced Data Rate) LAN: gigabit Ethernet; Wake-on-LAN ready Modem: 56K ITU V.92 with PTT approval; Wake-on-Ring ready
I/O Interface	1x ExpressCard™/54 slot; 1x PC Card slot (Type II) ; 5-in-1 card reader (SD/MMC/MS/MS PRO/xD); 4x USB 2.0 ports ; 1x DVI-D port with HDCP support; 1x IEEE 1394 port ; 1x Consumer Infrared (CIR) port ; 1x Fast Infrared (FIR) port; 1x external display (VGA) port ; 1x S-video/ TV-out (NTSC/PAL) port ; 1x AV-in port; 1x TV-tuner antenna-in port ; 1x speaker/ headphone/ line-out jack with S/PDIF support ; 1x microphone-in jack ; 1x line-in jack; 1x Parallel port; 1x Serial port; 1x Modem (RJ-11) port ; 1x Ethernet (RJ-45) port ; 1x DC-in jack for AC adapter
Security	Slot for Kensington lock BIOS user and supervisor passwords
Power Supply & Battery	ACPI 2.0 CPU power management supporting Standby and Hibernation modes 71 W 4800 mAh Li-ion battery pack (8-cell) 1.5-hour battery life with TV-tuner Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 2.5-hour charge-in-use 3-pin 135 W AC adapter (811 g with power cord)
Keyboard & Special Controls	105/106-key keyboard, with inverted "T" cursor layout, 2.5 mm (minimum) key travel; Touchpad with 4-way scroll button ; 12 function keys, four cursor keys, two Windows® keys, hotkey controls, standard numeric keypad, international language support, international language support; Four easy-launch buttons: Empowering Key, email, Internet, user-programmable button; Two front-access communication LED switches: WLAN, Bluetooth®; Seven media keys: Acer Arcade™, volume up, volume down, previous, next, play/pause, stop; Four front-panel LED indicators: power, battery, WLAN, Bluetooth®; Acer remote controls (depending on the model): • Acer Arcade™ (48 keys) • Windows® XP Media Center Edition (uses an external USB CIR receiver)
Weight & Dimensions	475 (W) x 352 (D) x 61.8 (H) mm 7.8 kg
Quality & Reliability Tests	Temperature & humidity test ; Free drop test ; Acoustics test ; Weight and Pressure tests ; Spillage test ; Shock and Vibration tests ; Electrostatic discharge immunity test ; MTBF (Mean Time Between Failure) test ; Hinge life test ; Keyboard-switch life test

Onovertroffen Entertainmentervaring



Belangrijkste eigenschappen

- Intel® Core™ 2 Duo processor with up to 2 MB L2 cache
- 20.1" WSXGA+ high-brightness (200 nit) Acer CrystalBrite™ TFT LCD, 1680 x 1050 pixel resolution, 6 lamps
- NVIDIA® GeForce® Go 7600 with 256 MB of external GDDR2 VRAM supporting NVIDIA® PureVideo™ technology (WMV HD, High-Definition MPEG-2 Hardware Acceleration, integrated HDTV encoder) dual-link DVI, Microsoft® DirectX® 9.0, Shader Model 3.0, OpenEXR High Dynamic Range (HDR) technology, NVIDIA® PowerMizer® 6.0 and PCI Express®

Software	Acer Empowering Technology (Acer eNet / ePower / ePresentation / eDataSecurity / eLock / eRecovery / eSettings / ePerformance Management) Acer GridVista™ Acer Arcade™ Acer Launch Manager Norton AntiVirus™ (trial version) Adobe® Reader® CyberLink® PowerProducer™ NTI CD Maker™
Options	Memory expansion modules Additional battery Additional AC adapter
Warranty	One-year send-in with International Travellers Warranty (ITW)

Model	Artikelnummer	Prijs inc. BTW_+ VAT_	
AS9814WKMib legitieme Windows® XP Media Center Edition 2005 , Intel® Core™ 2 Duo processor T5600 1.83GHz (FSB: 667MHz), 20TFT WSXGA+ CrystalBrite, 2048MB DDR II RAM (2x 1024), 120GB HDD (5400rpm SATA), Super Multi DVD-RW Double Layer (slot), 8-cell Lilon, 56K modem, Gigabit & Wireless Lan 802.11 a/b/g, 256MB Nvidia GeForce 7600, IEEE-1394, S-video, FIR, 5-in-1 card reader, BT, TV Tuner, 1.3MP Orbicam, AZB	LX.AF60J.076	EUR 1999.00	

acer - Notebooks Options NL -

Pricelist January 9, 2007

Partnumber	Description	List Incl. BTW EURO
------------	-------------	------------------------------

!!! Check option compatibility with notebook series in matrix on next page!!!

Warranty Bundles

P1.1214Y.B01	Silver15 = Warranty upgrade to 2yrs (1st year Int.Travellers Warranty) pick-up and return - repair within 5 w.days + FREE 15,4" notebook case + FREE Silver USB mouse	49.-
P1.1240Y.B01	Silver17 = Warranty upgrade to 2yrs (1st year Int.Travellers Warranty) pick-up and return - repair within 5 w.days + FREE 17" notebook case + FREE Silver USB mouse	49.-
P1.1214Y.B02	Gold15 = Warranty upgrade to 3yrs (1st year Int.Travellers Warranty) pick-up and return - repair within 5 w.days + FREE 15,4" notebook case + FREE Silver USB mouse	99.-
P1.1240Y.B02	Gold17 = Warranty upgrade to 3yrs (1st year Int.Travellers Warranty) pick-up and return - repair within 5 w.days + FREE 17" notebook case + FREE Silver USB mouse	99.-
P1.1214Y.B03	Platinum15 = Warranty upgrade to 3yrs (1st year Int.Travellers Warranty) + with accidental damage insurance - pick-up and return - repair within 5 w.days + FREE 15,4" notebook case + FREE Silver USB mouse	149.-
P1.1240Y.B03	Platinum17 = Warranty upgrade to 3yrs (1st year Int.Travellers Warranty) + with accidental damage insurance - pick-up and return - repair within 5 w.days + FREE 17" notebook case + FREE Silver USB mouse	149.-

Universal options

27.01218.191	3-pin AC Cable for power adapter or all models, not AS1700/1710/1800	9.-
P9.06308.A10	Acer USB 2.0 Port Replicator I New version (for all notebook models, not 1300/1310)	130.-
91.45S05.001	External USB FDD with cable	84.-
90.C0026.001	Optical mini mouse (all notebook models)	21.-
P9.0514C.A21	SLIP CASE NYLON SMART 15,4"	32.-
P9.0514C.A12	ENTRY LEVEL CASE PRESTIGE 15,4"	42.-
P9.0514C.A13	MIDRANGE CASE PRESTIGE 15,4"	53.-
P9.0514C.A25	BACKPACK CASE SMART 15,4"	53.-
P9.05148.A11	Hardshell for up to 14" notebooks	49.-
P9.05148.A12	Acer Messenger Case 17"	42.-
90.30628.200	Midrange Koskin Case (regular)	64.-
P9.05148.A14	Acer Elegant Case 15,4"	89.-
P9.2034C.A00	Acer Security Key Lock	32.-
P9.1930D.A01	MNEMONICK 5 Languages	64.-
P9.25378.A00	Wireless Presenter	47.-
P9.23308.A00	USB Keypad with Calculator Function	35.-
P9.24308.A00	4 USB HUB 2.0 with Y cable	23.-

Aspire 1640 / 1640Z series

LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-

Aspire 1650 series

LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-

Aspire 1690 series

For Models starting with: LX.A4405.XXX/LX.A5405.XXX use DDR memory!		
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	75.-
For Models starting with: LX.A6605.XXX/LX.A8405.XXX use DDRII memory!		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
Below options can be used for all models of the Aspire 1690 series:		
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-

Aspire 3000 series

LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	75.-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	97.-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-

Aspire 3020 series

acer - Notebooks Options NL -
 Pricelist January 9, 2007

Partnumber	Description	List Incl. BTW EURO
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	75.-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	97.-
LC.BTP01.005	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-
Aspire 3500 series		
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	75.-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	97.-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-
Aspire 3610 series		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.BTP01.009	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-
Aspire 3620 series		
LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.BTP01.010	Battery Li-Ion 6-cell 4800mAh	130.-
LC.BTP01.011	Battery Li-Ion 9-cell 7200mAh	151.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
P9.05148.A11	Hardshell for up to 14" notebooks	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-
Aspire 3630 series		
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	75.-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	97.-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-
Aspire 3650 series		
LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	75.-
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.023	Battery Li-Ion 6-cell 4000mAh	130.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.ASP07.002	Keyboard US	41.-
KB.ASP07.009	Keyboard AZB	41.-
KB.ASP07.008	Keyboard Swiss German	41.-
Aspire 3660 series		
LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	75.-
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.013	Battery Li-Ion 8-cell 4800mAh	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-
Aspire 3680 series		
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP00.001	Battery Li-Ion 6-cell 4000mAh	130.-
LC.BTP00.002	Battery Li-Ion 9-cell 7200mAh	151.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
P9.05148.A11	Hardshell for up to 14" notebooks	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-

acer - Notebooks Options NL -
Pricelist January 9, 2007

Partnumber	Description	List Incl. BTW EURO
Aspire 3690 series		
LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.ASP07.002	Keyboard US	41.-
KB.ASP07.009	Keyboard AZB	41.-
KB.ASP07.008	Keyboard Swiss German	41.-
Aspire 5000 series		
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	75.-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	97.-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-
Aspire 5020 series		
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	97.-
LC.BTP01.005	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-
Aspire 5040 series		
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	97.-
LC.BTP01.018	Battery Li-MN 6-cell 4000MAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-
Aspire 5050 series		
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP00.001	Battery LI-ION 6-cell 4000mAh	130.-
LC.BTP00.002	Battery LI-ION 9-cell 7200mAh	151.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
P9.05148.A11	Hardshell for up to 14" notebooks	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-
Aspire 5100 series		
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	75.-
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.ABE02.002	Keyboard US	41.-
KB.ABE02.009	Keyboard AZB	41.-
KB.ABE02.008	Keyboard Swiss German	41.-
Aspire 5500Z series		
LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.006	Battery LI-ION 9-cell 7200mAh TM3210/2400/AS3200/5500(option)	151.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A3502.002	Keyboard US	41.-
KB.A3502.009	Keyboard AZB	41.-
KB.A3502.008	Keyboard Swiss German	41.-
Aspire 5510 series		
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-
Aspire 5600 series		
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	75.-
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.A2707.001	Keyboard US	41.-
KB.A2707.014	Keyboard AZB	41.-
KB.A2707.011	Keyboard Swiss German	41.-

acer - Notebooks Options NL -
Pricelist January 9, 2007

Partnumber	Description	List Incl. BTW EURO
------------	-------------	------------------------------

Aspire 5610 series

LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.ASP07.002	Keyboard US	41.-
KB.ASP07.009	Keyboard AZB	41.-
KB.ASP07.008	Keyboard Swiss German	41.-

Aspire 5630 series

LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.ASP07.002	Keyboard US	41.-
KB.ASP07.009	Keyboard AZB	41.-
KB.ASP07.008	Keyboard Swiss German	41.-

Aspire 5650 series

LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.ASP07.002	Keyboard US	41.-
KB.ASP07.009	Keyboard AZB	41.-
KB.ASP07.008	Keyboard Swiss German	41.-

Aspire 5670 series

LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.ASP07.071	Keyboard US	41.-
KB.ASP07.078	Keyboard AZB	41.-
KB.ASP07.077	Keyboard Swiss German	41.-

Aspire 5680 series

LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.ASP07.002	Keyboard US	41.-
KB.ASP07.009	Keyboard AZB	41.-
KB.ASP07.008	Keyboard Swiss German	41.-

Aspire 7110 series

LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UHBA1FN-37B Nanya (option)	97.-
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
90.30628.400	Entry Level Nylon (large) - Techair 17"	42.-
P9.05148.A12	Acer Messenger Case 17"	42.-
KB.ACF07.001	Keyboard US	41.-
KB.ACF07.014	Keyboard AZBE	41.-
KB.ACF07.011	Keyboard Swiss/German	41.-

Aspire 9100 series

LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	75.-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	97.-
LC.BTP04.001	8 cell 4300mAh Lithium-Ion	148.-
LC.ADT05.004	Lite-on Adapter (65W) order power cord separately, p/n 27.01218.191	49.-
90.30628.400	Entry Level Nylon (large) - Techair 17"	42.-
KB.A5203.006	Keyboard US	41.-
KB.A5203.007	Keyboard AZB	41.-
KB.A5203.005	Keyboard Swiss German	41.-

Aspire 9300 series

LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UHBA1FN-37B Nanya (option)	97.-
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
90.30628.400	Entry Level Nylon (large) - Techair 17"	42.-
P9.05148.A12	Acer Messenger Case 17"	42.-
KB.ACF07.001	Keyboard US	41.-
KB.ACF07.014	Keyboard AZBE	41.-
KB.ACF07.011	Keyboard Swiss/German	41.-

acer - Notebooks Options NL -
Pricelist January 9, 2007

Partnumber	Description	List Incl. BTW EURO
Aspire 9400 series		
LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.013	Battery Li-ION 8-cell 4800mAh	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
90.30628.400	Entry Level Nylon (large) - Techair 17"	42.-
P9.05148.A12	Acer Messenger Case 17"	42.-
KB.ACF07.001	Keyboard US	41.-
KB.ACF07.014	Keyboard AZBE	41.-
KB.ACF07.011	Keyboard Swiss/German	41.-
Aspire 9410 series		
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.BTP01.013	Battery Li-ION 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
90.30628.400	Entry Level Nylon (large) - Techair 17"	42.-
P9.05148.A12	Acer Messenger Case 17"	42.-
KB.ACF07.001	Keyboard US	41.-
KB.ACF07.014	Keyboard AZBE	41.-
KB.ACF07.011	Keyboard Swiss/German	41.-
Aspire 9420 series		
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.BTP01.013	Battery Li-ION 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
90.30628.400	Entry Level Nylon (large) - Techair 17"	42.-
P9.05148.A12	Acer Messenger Case 17"	42.-
KB.ACF07.001	Keyboard US	41.-
KB.ACF07.014	Keyboard AZBE	41.-
KB.ACF07.011	Keyboard Swiss/German	41.-
Aspire 9500 series		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP04.001	8 cell 4300mAh Lithium-Ion	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
90.30628.400	Entry Level Nylon (large) - Techair 17"	42.-
P9.05148.A12	Acer Messenger Case 17"	42.-
KB.A2909.001	Keyboard US	41.-
KB.A2909.013	Keyboard AZBE	41.-
KB.A2909.008	Keyboard Swiss/German	41.-
Aspire 9510 series		
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.024	Battery Li-ION 8-cell 4S2P 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
90.30628.400	Entry Level Nylon (large) - Techair 17"	42.-
P9.05148.A12	Acer Messenger Case 17"	42.-
KB.ABY07.001	Keyboard US	41.-
KB.ABY07.014	Keyboard AZBE	41.-
KB.ABY07.011	Keyboard Swiss/German	41.-
Aspire 9800 series		
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	75.-
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.BTP01.019	Battery Li-ION AS9800 Battery 4S2P 8cell 4.8A	148.-
LC.ADT01.010	AC Adapter (135W) without power cord (order power cord separately, p/n 27.01218.191)	49.-
KB.AAK07.001	Keyboard US	41.-
KB.AAK07.014	Keyboard AZB	41.-
KB.AAK07.011	Keyboard Swiss German	41.-
Aspire 9810 series		
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	75.-
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.BTP01.019	Battery Li-ION AS9800 Battery 4S2P 8cell 4.8A	148.-
LC.ADT01.010	AC Adapter (135W) without power cord (order power cord separately, p/n 27.01218.191)	49.-
KB.AAK07.001	Keyboard US	41.-
KB.AAK07.014	Keyboard AZB	41.-
KB.AAK07.011	Keyboard Swiss German	41.-
Ferrari 1000		
LC.DDR01.010	SO-DIMM DDRII 667 512MB	97.-
LC.DDR01.011	SO-DIMM DDRII 667 1GB	249.-
LC.BTP01.025	Battery Li-ION 6-cell 3S2P 5200mAh	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.IOP01.002	Acer I/O port replicator II without user booklet	42.-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer po	176.-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Pr	235.-
KB.FR607.001	Keyboard US	41.-
KB.FR607.014	Keyboard AZB	41.-
KB.FR607.011	Keyboard Swiss	41.-

acer - Notebooks Options NL -
 Pricelist January 9, 2007

Partnumber	Description	List Incl. BTW EURO
------------	-------------	------------------------------

Ferrari 4000

AP.A1003.002	AC Adapter 90W (AC cable not included, p/nr. 27.01218.191)	64.-
LC.BTP03.011	Battery Li-ION 8 cell 4800mAh FR4000	148.-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	97.-
LC.IOP01.002	Acer IO port replicator II without user booklet	42.-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer po	176.-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Pr	235.-
KB.T7207.001	Keyboard US	41.-
KB.T7207.014	Keyboard AZB	41.-
KB.T7207.011	Keyboard Swiss	41.-

TravelMate C200

LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP03.013	Battery Li-ION 9-cell 3S3P 7200mAh TMC200	151.-
LC.TAD03.002	Battery (2nd) Li-ION TMC200 media bay	108.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.IOP01.002	Acer IO port replicator II without user booklet	42.-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer po	176.-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Pr	235.-
LC.T2801.017	STYLUS SLIM PEN-111	71.-
KB.TAD07.001	Keyboard US QWERTY	41.-
KB.TAD07.014	Keyboard AZB	41.-
KB.TAD07.011	Keyboard Swiss German	41.-

TravelMate C210

LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP03.013	Battery Li-ION 9-cell 3S3P 7200mAh TMC200	151.-
LC.TAD03.002	Battery (2nd) Li-ION TMC200 media bay	108.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	176.-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	235.-
KB.TAD07.001	Keyboard US QWERTY	41.-
KB.TAD07.014	Keyboard AZB	41.-
KB.TAD07.011	Keyboard Swiss German	41.-

TravelMate 2310 series

LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	75.-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	97.-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.T5007.001	Keyboard US	41.-
KB.T5007.014	Keyboard AZB	41.-
KB.T5007.011	Keyboard Swiss German	41.-

TravelMate 2350 series

LC.BTP04.001	8 cell 4300mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.T350C.002	Keyboard US	41.-
KB.T350C.009	Keyboard AZB	41.-
KB.T350C.008	Keyboard Swiss German	41.-

TravelMate 2410 series

LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.BTP01.009	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.T5007.001	Keyboard US	41.-
KB.T5007.014	Keyboard AZB	41.-
KB.T5007.011	Keyboard Swiss German	41.-

TravelMate 2420 series

LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.010	Battery Li-ION 6-cell 4800mAh	130.-
LC.BTP01.011	Battery Li-ION 9-cell 7200mAh	151.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.T5007.001	Keyboard US	41.-
KB.T5007.014	Keyboard AZB	41.-
KB.T5007.011	Keyboard Swiss German	41.-

TravelMate 2450 series

LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	75.-
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.023	Battery Li-ION 6-cell 4000mAh	130.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.TNT07.002	Keyboard US	41.-
KB.TNT07.009	Keyboard AZB	41.-
KB.TNT07.008	Keyboard Swiss German	41.-

acer - Notebooks Options NL -
 Pricelist January 9, 2007

Partnumber	Description	List Incl. BTW EURO
TravelMate 2490 series		
LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.017	Battery Li-ION 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.TNT07.002	Keyboard US	41.-
KB.TNT07.009	Keyboard AZB	41.-
KB.TNT07.008	Keyboard Swiss German	41.-
TravelMate 3000 series		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP03.010	Battery Li-ION 6-cell 4800mAh	130.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.IOP01.002	Acer I/O port replicator II without user booklet	42.-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	176.-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	235.-
KB.T7407.026	Keyboard US QWERTY	41.-
KB.T7407.012	Keyboard AZB	41.-
KB.T7407.009	Keyboard Swiss German	41.-
TravelMate 3010 series		
LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP03.010	Battery Li-ION 6-cell 4800mAh	130.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.IOP01.002	Acer I/O port replicator II without user booklet	42.-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	176.-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	235.-
KB.T7407.026	Keyboard US QWERTY	41.-
KB.T7407.012	Keyboard AZB	41.-
KB.T7407.009	Keyboard Swiss German	41.-
TravelMate 3300 series		
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.BTP01.010	Battery Li-ION 6-cell 4800mAh	130.-
LC.BTP01.011	Battery Li-ION 9-cell 7200mAh	151.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.IOP01.002	Acer I/O port replicator II without user booklet	42.-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	176.-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	235.-
P9.05148.A11	Hardshell for up to 14" notebooks	49.-
KB.TB107.001	Keyboard US	41.-
KB.TB107.014	Keyboard AZB	41.-
KB.TB107.011	Keyboard Swiss German	41.-
TravelMate 4050 series		
LC.BTP04.001	8 cell 4300mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.T350C.002	Keyboard US	41.-
KB.T350C.009	Keyboard AZB	41.-
KB.T350C.008	Keyboard Swiss German	41.-
TravelMate 4060 series		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.T5007.001	Keyboard US	41.-
KB.T5007.014	Keyboard AZB	41.-
KB.T5007.011	Keyboard Swiss German	41.-
TravelMate 4070 series		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.T5007.001	Keyboard US	41.-
KB.T5007.014	Keyboard AZB	41.-
KB.T5007.011	Keyboard Swiss German	41.-

acer - Notebooks Options NL -
 Pricelist January 9, 2007

Partnumber	Description	List Incl. BTW EURO
------------	-------------	---------------------

TravelMate 4100 series

LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	75.-
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.T5007.001	Keyboard US	41.-
KB.T5007.014	Keyboard AZB	41.-
KB.T5007.011	Keyboard Swiss German	41.-

TravelMate 4150 series

LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP04.001	8 cell 4300mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.T5902.002	Keyboard US	41.-
KB.T5902.009	Keyboard AZBE	41.-
KB.T5902.008	Keyboard Swiss/GE	41.-

TravelMate 4200 series

LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.BTP01.017	Battery Li-Ion 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.TNT07.002	Keyboard US	41.-
KB.TNT07.009	Keyboard AZB	41.-
KB.TNT07.008	Keyboard Swiss German	41.-

TravelMate 4220 series

LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	75.-
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.013	Battery Li-Ion 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.TNT07.025	Keyboard US	41.-
KB.TNT07.032	Keyboard AZB	41.-
KB.TNT07.031	Keyboard Swiss German	41.-

TravelMate 4230 series

LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.BTP01.017	Battery Li-Ion 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.TNT07.002	Keyboard US	41.-
KB.TNT07.009	Keyboard AZB	41.-
KB.TNT07.008	Keyboard Swiss German	41.-

TravelMate 4400 series

LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	97.-
LC.BTP01.005	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.IOP01.002	Acer I/O port replicator II without user booklet	42.-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	176.-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	235.-
KB.T5007.001	Keyboard US	41.-
KB.T5007.014	Keyboard AZB	41.-
KB.T5007.011	Keyboard Swiss German	41.-

TravelMate 4500 series

LC.BTP03.003	8 cell 4400mAh Lithium-Ion	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
KB.T5007.001	Keyboard US	41.-
KB.T5007.014	Keyboard AZB	41.-
KB.T5007.011	Keyboard Swiss German	41.-

TravelMate 4600 series

For Models starting with: LX.T6406.XXX use DDR memory!

LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	75.-
--------------	---	------

For Models starting with: LX.T9906.XXX use DDRII memory!

LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-

Below options can be used for all models of the TravelMate 4600 series:

LC.BTP03.003	8 cell 4400mAh Lithium-Ion	148.-
LC.BTP03.004	2nd Battery MediaBay 6cell 3800mAh Lithium-Ion	173.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.IOP01.002	Acer I/O port replicator II without user booklet	42.-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	176.-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	235.-
KB.T5007.001	Keyboard US	41.-
KB.T5007.014	Keyboard AZB	41.-
KB.T5007.011	Keyboard Swiss German	41.-

acer - Notebooks Options NL -
Pricelist January 9, 2007

Partnumber	Description	List Incl. BTW EURO
------------	-------------	------------------------------

acer - Notebooks Options NL -
Pricelist January 9, 2007

Partnumber	Description	List Incl. BTW EURO
TravelMate 4650 series		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP04.001	8 cell 4300mAh Lithium-Ion	148.-
LC.BTP01.004	2nd Battery Mediabay 6-cell 3800mAh	195.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.IOP01.002	Acer I/O port replicator II without user booklet	42.-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	235.-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	176.-
KB.T5902.002	Keyboard US	41.-
KB.T5902.009	Keyboard AZBE	41.-
KB.T5902.008	Keyboard Swiss/GE	41.-
TravelMate 4670 series		
LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.013	Battery Li-Ion 8-cell 4800mAh	148.-
LC.BTP01.014	2nd Battery MediaBay 6cell 3800mAh Lithium-Ion TM4670(option)	184.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.IOP01.002	Acer I/O port replicator II without user booklet	42.-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	235.-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	176.-
KB.TNT07.025	Keyboard US	41.-
KB.TNT07.032	Keyboard AZB	41.-
KB.TNT07.031	Keyboard Swiss German	41.-
TravelMate 5600 series		
LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.013	Battery Li-Ion 8-cell 4800mAh	148.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
90.30628.400	Entry Level Nylon (large) - Techair 17"	42.-
P9.05148.A12	Acer Messenger Case 17"	42.-
KB.TBG01.001	Keyboard US	41.-
KB.TBG01.014	Keyboard AZB	41.-
KB.TBG01.011	Keyboard Swiss German	41.-
TravelMate 5610 series		
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.013	Battery Li-Ion 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
90.30628.400	Entry Level Nylon (large) - Techair 17"	42.-
P9.05148.A12	Acer Messenger Case 17"	42.-
KB.TBG01.001	Keyboard US	41.-
KB.TBG01.014	Keyboard AZB	41.-
KB.TBG01.011	Keyboard Swiss German	41.-
TravelMate 5620 series		
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.013	Battery Li-Ion 8-cell 4800mAh	148.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
90.30628.400	Entry Level Nylon (large) - Techair 17"	42.-
P9.05148.A12	Acer Messenger Case 17"	42.-
KB.TBG01.001	Keyboard US	41.-
KB.TBG01.014	Keyboard AZB	41.-
KB.TBG01.011	Keyboard Swiss German	41.-
TravelMate 6410 series		
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP00.003	Battery Li-Ion 8-cell 452P 4800mAh TM6410/TM6460(Option)	148.-
LC.BTP00.004	2nd Battery MediaBay 6-cell 352P 3800mAh TM6410/TM6460(Option)	195.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.D0303.004	Acer ezDock II (6xUSB, 6-pin IEEE 1394, 4-pin IEEE 1394, DVI-D, S-video/TV-out (NTSC/PAL), VGA, S/PDIF, Microphone-in jack, Line-in jack, Headphones/speaker/line-out jack, Ethernet (RJ-45), Modem (RJ-11), 2xPS2, Serial port, Parallel/printer port) with 135 W AC adapter (order power cord separately, p/n 27.01218.191) + Security lock slot	96.-
LC.D0303.001	Acer ezDock II+ (Universal ExpressCard™/54 slot, 6xUSB, 6-pin IEEE 1394, 4-pin IEEE 1394, DVI-D, S-video/TV-out (NTSC/PAL), VGA, S/PDIF, Microphone-in jack, Line-in jack, Headphones/speaker/line-out jack, Ethernet (RJ-45), Modem (RJ-11), 2xPS2, Serial port, Parallel/printer port) with 135 W AC adapter (order power cord separately, p/n 27.01218.191) + Security lock slot + Acer MediaBay slot (for optical drive module / Serial ATA HDD module or extra 6-cell Li-Ion 2nd battery module)	156.-
KB.TCX07.001	Keyboard US	41.-
KB.TCX07.014	Keyboard AZB	41.-
KB.TCX07.011	Keyboard Swiss German	41.-

acer - Notebooks Options NL -
Pricelist January 9, 2007

Partnumber	Description	List Incl. BTW EURO
TravelMate 6460 series		
LC.DDR01.008	SO-DIMM 512MB DDRII 533NT512T64UH8A1FN-37B Nanya (option)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP00.003	Battery Li-ION 8-cell 4S2P 4800mAh TM6410/TM6460(Option)	148.-
LC.BTP00.004	2nd Battery MediaBay 6-cell 3S2P 3800mAh TM6410/TM6460(Option)	195.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.D0303.004	Acer ezDock II 6xUSB, 6-pin IEEE 1394, 4-pin IEEE 1394, DVI-D, S-video/TV-out (NTSC/PAL), VGA, SPDIF, Microphone-in jack, Line-in jack, Headphones/speaker/line-out jack, Ethernet (RJ-45), Modem (RJ-11), 2xPS2, Serial port, Parallel/printer port) with 135 W AC adapter (order power cord separately; p/n 27.01218.191) + Security lock slot	96.-
LC.D0303.001	Acer ezDock II+ (Universal ExpressCard™/54 slot, 6xUSB, 6-pin IEEE 1394, 4-pin IEEE 1394, DVI-D, S-video/TV-out (NTSC/PAL), VGA, SPDIF, Microphone-in jack, Line-in jack, Headphones/speaker/line-out jack, Ethernet (RJ-45), Modem (RJ-11), 2xPS2, Serial port, Parallel/printer port) with 135 W AC adapter (order power cord separately; p/n 27.01218.191) + Security lock slot + Acer MediaBay slot (for optical drive module / Serial ATA HDD module or extra 6-cell Li-ion 2nd battery module)	156.-
KB.TCX07.001	Keyboard US	41.-
KB.TCX07.014	Keyboard AZB	41.-
KB.TCX07.011	Keyboard Swiss German	41.-
TravelMate 8100 series		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP03.008	8 cell 4800mAh Lithium-Ion	148.-
LC.BTP03.009	2nd Battery Mediabay 6-cell 3800mAh	195.-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.IOP01.002	Acer I/O port replicator II without user booklet	42.-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately; p/n 27.01218.191)	176.-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately; p/n 27.01218.191)	235.-
90.41Q51.002	Smart Card Kit (2 cards)	39.-
KB.T7207.001	Keyboard US	41.-
KB.T7207.014	Keyboard AZB	41.-
KB.T7207.011	Keyboard Swiss	41.-
TravelMate 8200 series		
LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.015	Battery Li-ION 9-cell 7800mAh TM8200/TM8210(option)	151.-
LC.BTP01.016	Battery (2nd) Li-ION 6-cell 3800mAh TM8200/TM8210 (option)	195.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.IOP01.002	Acer I/O port replicator II without user booklet	42.-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately; p/n 27.01218.191)	176.-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately; p/n 27.01218.191)	235.-
90.41Q51.002	Smart Card Kit (2 cards)	39.-
LC.BTH01.008	Acer Bluetooth VoIP Card Phone Kit v2.2	79.-
KB.TAX07.001	Keyboard US	41.-
KB.TAX07.014	Keyboard AZB	41.-
KB.TAX07.011	Keyboard Swiss German	41.-
TravelMate 8210 series		
LC.MEM01.010	SO-DIMM DDRII 533 256MB HYMP532S64P6-C4 Hynix (option)	75.-
LC.MEM01.005	512MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	97.-
LC.MEM01.008	1024MB SO-DIMM DDRII 533 (Use only modules of same speed in NB-system)	249.-
LC.BTP01.015	Battery Li-ION 9-cell 7800mAh TM8200/TM8210(option)	151.-
LC.BTP01.016	Battery (2nd) Li-ION 6-cell 3800mAh TM8200/TM8210 (option)	195.-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.	49.-
LC.IOP01.002	Acer I/O port replicator II without user booklet	42.-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately; p/n 27.01218.191)	176.-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately; p/n 27.01218.191)	235.-
LC.BTH01.008	Acer Bluetooth VoIP Card Phone Kit v2.2	79.-
KB.TAX07.001	Keyboard US	41.-
KB.TAX07.014	Keyboard AZB	41.-
KB.TAX07.011	Keyboard Swiss German	41.-

